ecoFINISH®
HIGH PERFORMANCE COATINGS

# Product Catalogue

EFFECTIVE (June 1, 2018)

aquaBRIGHT™ SMOOTH • DURABLE • ENDURING

polyFIBRO® high performance fiberglass coatings

ecoDUSTRIAL™ PROVEN INDUSTRIAL COATINGS

aquaticLIFE™ COATINGS FOR LIFE

ecoFX™ Functional • Dazzling • Design • Enhancements

X40 high strength bonding epoxy

shade SHELTER™ protection from the sun and wind

Disclaimer:
All prices are subject to change without notice. This document is strictly private, confidential and personal to its recipients and should not be copied, distributed or reproduced in whole or in part, nor passed to any third party.

# Table of Contents


What we're about ..... 1

Pool Finishes ..... 2

aquaBRIGHT™ ..... 3

polyFIBRO® ..... 4

Commercial White ..... 5

Stencils ..... 6

ecoFX™ Stencils - Numbers ..... 7

ecoFX™ Stencils - Verbiage ..... 8

Tapes & Fabric ..... 9

Surface Preparation ..... 10

Epoxy - X40 ..... 11

Epoxy - X40-200 & Accessories ..... 12

Epoxy Accessories ..... 13

Installation Equipment ..... 14

Installation Equipment Accessories ..... 15

Preferred Sequestering Agents ..... 16

Shade Shelter™ ..... 17

Dome Tents ..... 18

Dome Tent Combos ..... 19

Air Blowers and Water Ballasts ..... 20

ecoDUSTRIAL™ ..... 21

ecoDUSTRIAL™ Traditional Powders ..... 22

ecoDUSTRIAL™ Non-Skid Powders ..... 23

ecoDUSTRIAL™ with BioCote® ..... 24

ecoDUSTRIAL™ Stencils ..... 25

aquaBRIGHT™ and polyFIBRO® marketing materials ..... 26

aquaBRIGHT™ and polyFIBRO® marketing materials continued ..... 27

ecoDUSTRIAL™ and aquaticLIFE™ marketing materials ..... 28

aquaBRIGHT™ and polyFIBRO® Express Order Form ..... 29

aquaBRIGHT™ and polyFIBRO® Express Order Form continued ..... 30

ecoFX™ Order Form - Verbiage Stencils ..... 31

ecoFX™ Order Form - Meters, Feet, Inches Stencils ..... 32

ecoFX™ Order Form - Whole Numbers and Decimal Stencils ..... 33

ecoDUSTRIAL™ Order Form ..... 34

ecoDUSTRIAL™ Order Form continued ..... 35

ecoDUSTRIAL™ Stencil Order Form ..... 36

aquaBRIGHT™ and polyFIBRO® Warranty ..... 37

NFS 61 / ANSI Certification ..... 38

Terms & Conditions ..... 39

ecoFINISH®
HIGH PERFORMANCE COATINGS

# What We're About...

aquaBRIGHT™
SMOOTH • DURABLE • ENDURING

## Fountain Applications

ecoDUSTRIAL™
PROVEN INDUSTRIAL COATINGS

polyFIBRO®
high performance fiberglass coatings

## Commercial Applications

ecoFX™
Functional • Dazzling • Design • Enhancements

ecoFINISH® High Performance Coatings has led the world as the first, largest, and fastest growing manufacturer of polymer coatings. Looking to provide a solution for problems often found with traditional pool finishes, we began creating batch bespoke polymer powders specifically developed for the ease of use for the installation process of flame spray coating. We began by particularly developing polymer powders to be used for flame spray industries and created a patented process for installing our finish on concrete swimming pools. This was the beginning of our aquaBRIGHT™ swimming pool finishes.

aquaBRIGHT™ is made to withstand the abuse of underwater conditions and we found this innovative application could be adapted to fiberglass, steel, and aluminum substrates. polyFIBRO® was then created as scientifically formulated aquatic coating devised to tackle the issues of traditional gel-coat finishes. The thermo-polymer coating is long lasting and does not chip, peel, or crack, unlike traditional gel-coat and paint finishes.

The majority of our powders are certified, and comply with NSF/ANSI 61 Drinking Water System Components. Because our powders are certified to be drinking water safe, this has allowed us to expand to zoos, aquariums, fish farms, and more with our aquaticLIFE™ line. Since, we have expanded to other industries outside of swimming pools and aquatic features. Most recently, we have been excited to introduce our ecoDUSTRIAL™ line specifically for swimming pool industries, and we are excited about the possibilities of our newly released non-skid coating.

ecoFINISH® can be found worldwide in the United States, Canada, the United Kingdom, France, Portugal, Belgium, Italy, Iceland, Poland, the Netherlands, Bosnia, Greece, Australia, Germany, New Zealand, Ukraine, Thailand, Bonaire, Spain, and we continue to expand.

ecoFINISH®
HIGH PERFORMANCE COATINGS

# Pool Finishes

aquaBRIGHT™
SMOOTH • DURABLE • ENDURING

polyFIBRO®
high performance fiberglass coatings

aquaBRIGHT™ and polyFIBRO® are pneumatically applied high performance pool finishes that captures the strength, durability, and maintenance ease of old school swimming pool finishes while maintaining the beauty and architectural range of aggregate finishes. aquaBRIGHT™ and polyFIBRO® are eco-friendly, stain and crack resistant, and will outlast traditional paint and plaster finishes for years to come. Used for a commercial or a residential pool, both lines are excellent finishes for both new pools and renovations.

# Series 3 Powder Colors

Kona Coast
AB3-KC

Blue Mist
AB3-BM



Blue Lagoon
AB3-BL

Mediterranean Blue
AB3-MB



Midnight Blue
AB3-MD

Sahara Sand
AB3-SS

Blue Granite
AB3-BG

Grey Reef
AB3-GR



French Grey
AB3-FG



Perle Noire
AB3-PN

Samples displayed are a representation of the actual manufacturer's color.
Colors may vary slightly from those shown. Ask your Sales Representative for actual color samples before purchasing.

Powder is sold in 40 LB Case Quantities.
*(SHIPPING IS NOT INCLUDED)*

Powder 40-800 lbs (1-20 Cases)
Powder 840-1640 lbs (Mixed Half-Pallet/21-41 Cases)
Powder 1680 lbs+ (Mixed Full-Pallet/42+ Cases)

aquaBRIGHT™ Sample Powder Box
*(SHIPPING IS NOT INCLUDED)*

aquaBRIGHT™ Sample Powder 30 lbs (3 lb samples of (10) aquaBRIGHT™ Colors)

(item # AB3 Sample)

IAPMO R&T ®
complies with NSF/ANSI 61

polyFIBRO®
high performance fiberglass coatings

# Series 3 Powder Colors

Pacific Blue
PF3-PB

Giallo Versilia
PF3-GV

Sandstone
PF3-SS

Sandy Beach
PF3-SB



Santorini
PF3-SN



Cabo Verde
PF3-CV



Black Absinthe
PF3-BA



Marrakesh
PF3-MK



Ice Ice Bay Bay
PF3-II

Samples displayed are a representation of the actual manufacturer's color.
Colors may vary slightly from those shown. Ask your Sales Representative for actual color samples before purchasing.

Powder is sold in 40 LB Case Quantities.
*(SHIPPING IS NOT INCLUDED)*

Powder 40-800 lbs (1-20 Cases)
Powder 840-1640 lbs (Mixed Half-Pallet/21-41 Cases)
Powder 1680 lbs+ (Mixed Full-Pallet/42+ Cases)

polyFIBRO® Sample Powder Box
*(SHIPPING IS NOT INCLUDED)*

polyFIBRO® Sample Powder 27 lbs (3 lb samples of (9) polyFIBRO® Colors)

(item # PF3 Sample)

IAPMO R&T ®
complies with NSF/ANSI 61

# Commercial White
## for aquaBRIGHT™ and polyFIBRO®



**Commercial White**
**CM3-WH**

Samples displayed are a representation of the actual manufacturer's color.
Colors may vary slightly from those shown. Ask your Sales Representative for actual color samples before purchasing.

Powder is sold in 40 LB Case Quantities.
*(SHIPPING IS NOT INCLUDED)*

Powder 40-800 lbs (1-20 Cases)
Powder 840-1640 lbs (Mixed Half-Pallet/21-41 Cases)
Powder 1680 lbs+ (Mixed Full-Pallet/42+ Cases)

complies with NSF/ANSI 61

# STENCILS





ecoFX™ stencils offer a full line of pool and depth markers in a variety of sizes to improve pool and spa safety and can be used easily with aquaBRIGHT™ or polyFIBRO®. With ecoFX™, custom stencils can also be created so that you can easily incorporate your logos, custom designs, decorative borders, and more right on the surface of the substrate. Custom made stencils provide the ability to add personalization and uniqueness to any new pool or renovation.

# STENCILS

| Numbers With Small FT | |
|---|---|
| 0FT | SN-W-0-FT |
| ½FT | SN-H-0-FT |
| 1FT | SN-W-1-FT |
| 1 ½FT | SN-H-1-FT |
| 2FT | SN-W-2-FT |
| 2 ½FT | SN-H-2-FT |
| 3FT | SN-W-3-FT |
| 3 ½FT | SN-H-3-FT |
| 4FT | SN-W-4-FT |
| 4 ½FT | SN-H-4-FT |
| 5FT | SN-W-5-FT |
| 5 ½FT | SN-H-5-FT |
| 6FT | SN-W-6-FT |
| 6 ½FT | SN-H-6-FT |
| 7FT | SN-W-7-FT |
| 7 ½FT | SN-H-7-FT |
| 8FT | SN-W-8-FT |
| 8 ½FT | SN-H-8-FT |
| 9FT | SN-W-9-FT |
| 9 ½FT | SN-H-9-FT |
| 10FT | SN-W-10-FT |
| 11FT | SN-W-11-FT |
| 12FT | SN-W-12-FT |

| Numbers With Small m | |
|---|---|
| 0m | SN-D-0-m |
| 0.3m | SN-D-.3-m |
| 0.5m | SN-D-.5-m |
| 0.6m | SN-D-.6-m |
| 0.8m | SN-D-.8-m |
| 0.9m | SN-D-.9-m |
| 1.1m | SN-D-1.1-m |
| 1.2m | SN-D-1.2-m |
| 1.4m | SN-D-1.4-m |
| 1.5m | SN-D-1.5-m |
| 1.7m | SN-D-1.7-m |
| 1.8m | SN-D-1.8-m |
| 2.0m | SN-D-2.0-m |
| 2.1m | SN-D-2.1-m |
| 2.3m | SN-D-2.3-m |
| 2.4m | SN-D-2.4-m |
| 2.6m | SN-D-2.6-m |
| 2.7m | SN-D-2.7-m |
| 2.9m | SN-D-2.9-m |
| 3.0m | SN-D-3.0-m |
| 3.4m | SN-D-3.4-m |
| 3.6m | SN-D-3.6-m |
| 3.7m | SN-D-3.7-m |

| Stencil Whole Numbers | |
|---|---|
| 0 | SN-W-0 |
| 1 | SN-W-1 |
| 2 | SN-W-2 |
| 3 | SN-W-3 |
| 4 | SN-W-4 |
| 5 | SN-W-5 |
| 6 | SN-W-6 |
| 7 | SN-W-7 |
| 8 | SN-W-8 |
| 9 | SN-W-9 |
| 10 | SN-W-10 |
| 11 | SN-W-11 |
| 12 | SN-W-12 |
| 14 | SN-W-14 |
| 16 | SN-W-16 |
| 17 | SN-W-17 |
| 18 | SN-W-18 |
| 20 | SN-W-20 |
| 22 | SN-W-22 |
| 24 | SN-W-24 |

| Stencil Decimal Numbers | |
|---|---|
| 0.3 | SN-D-.3 |
| 0.5 | SN-D-.5 |
| 0.6 | SN-D-.6 |
| 0.8 | SN-D-.8 |
| 0.9 | SN-D-.9 |
| 1.1 | SN-D-1.1 |
| 1.2 | SN-D-1.2 |
| 1.4 | SN-D-1.4 |
| 1.5 | SN-D-1.5 |
| 1.7 | SN-D-1.7 |
| 1.8 | SN-D-1.8 |
| 2.0 | SN-D-2.0 |
| 2.1 | SN-D-2.1 |
| 2.3 | SN-D-2.3 |
| 2.4 | SN-D-2.4 |
| 2.6 | SN-D-2.6 |
| 2.7 | SN-D-2.7 |
| 2.9 | SN-D-2.9 |
| 3.0 | SN-D-3.0 |
| 3.4 | SN-D-3.4 |
| 3.6 | SN-D-3.6 |
| 3.7 | SN-D-3.7 |

# STENCILS

| 6” Verbiage Markers | |
|---|---|
| FT | SV-6-FT |
| FT. | SV-6-FT. |
| FEET | SV-6-FEET |
| FEET DEEP | SV-6-FD |
| IN | SV-6-IN |
| IN. | SV-6-IN. |
| INCHES | SV-6-INCHES |
| INCHES DEEP | SV-6-ID |
| M | SV-6-m |
| M. | SV-6-m. |
| METERS | SV-6-METERS |
| METERS DEEP | SV-6-MD |
| DEEP | SV-6-DEEP |
| DEPTH | SV-6-DEPTH |

| 12” Verbiage Markers | |
|---|---|
| FEET | SV-12-FT |
| FEET DEEP | SV-12-FD |
| INCHES | SV-12-IN |
| INCHES DEEP | SV-12-ID |
| METERS | SV-12-MT |
| METERS DEEP | SV-12-MD |
| DEPTH | SV-12-DE |

| 6” Other Markers | |
|---|---|
| AT | SV-6-AT |
| CENTER | SV-6-CENTER |
| DRAIN | SV-6-DRAIN |
| EDGE | SV-6-EDGE |
| END | SV-6-END |
| ENTRY | SV-6-ENTRY |
| NO | SV-6-NO |
| NO STEP | SV-6-NS |
| NO DIVING | SV-6-ND |
| OR | SV-6-OR |
| POOL | SV-6-POOL |
| RAMP | SV-6-RAMP |
| SEAT | SV-6-SEAT |
| SHELF | SV-6-SHELF |
| STEPS | SV-6-STEPS |
| TO | SV-6-TO |
| WALL | SV-6-WALL |
| NO DIVING | SS-6-ND |

| 24” Verbiage Markers | |
|---|---|
| NO DIVING | SV-24-ND |

| 48” Verbiage Markers | |
|---|---|
| NO DIVING | SV-48-ND |

| 12” Other Verbiage | |
|---|---|
| CAUTION | SV-12-CA |
| CENTER | SV-12-CE |
| DRAIN | SV-12-DR |
| ENTRY | SV-12-EN |
| KEEP OFF | SV-12-KO |
| LIFEGUARD | SV-12-LG |
| NO CLIMBING | SV-12-NC |
| NO DIVING | SV-12-ND |
| NO ENTRY | SV-12-NE |
| NO JUMPING | SV-12-NJ |
| NO RUNNING | SV-12-NR |
| NO STEP | SV-12-NS |
| SHALLOW | SV-12-SHA |
| SHELF | SV-12-SHE |
| VARIES | SV-12-VA |
| WATER | SV-12-WA |
| ZERO DEPTH | SV-12-ZD |
| ZERO ENTRY | SV-6-ZE |

# TAPES AND FABRICS

## Tapes

Silicone Tape 1” x 36yds
1” Silicone Tape is ideal for masking off tile trim on benches and steps.

| | |
|---|---|
| 5 Rolls | (item # HT-1x36-5) |
| 40 Rolls | (item # HT-1x36-CA) |

Silicone Tape 2” x 36yds
2” Silicone Tape is best used for securing ecoFINISH’s reusable fabric to a swimming pool’s perimeter tile.

| | |
|---|---|
| 5 Rolls | (item # HT-2x36-5) |
| 20 Rolls | (item # HT-2x36-CA) |

Silicone Tape 4” x 36yds
4” Silicone Tape is best used for securing ecoFINISH’s reusable fabric to a swimming pool’s perimeter tile.

| | |
|---|---|
| 1 Roll | (item # HT-4x36) |
| 8 Rolls | (item # HT-4x36-CA) |

## Fabric

| | |
|---|---|
| 1 Roll | (item # FAB-9x20) |
| 4 Rolls | (item # FAB-9x20-CA) |

# SURFACE PREPARATION

4.5” Semi-Flex Concrete Sanding Discs

5 Disks

| | |
|---|---|
| 16 Grit | (item # SD-4.5-16-5) |
| 36 Grit | (item # SD-4.5-36-5) |
| 60 Grit | (item # SD-4.5-60-5) |

25 Disks

| | |
|---|---|
| 16 Grit | (item # SD-4.5-16-CA) |
| 36 Grit | (item # SD-4.5-36-CA) |
| 60 Grit | (item # SD-4.5-60-CA) |

7” Semi-Flex Concrete Sanding Discs

5 Disks

| | |
|---|---|
| 16 Grit | (item # SD-7-16-5) |
| 36 Grit | (item # SD-7-36-5) |
| 60 Grit | (item # SD-7-60-5) |

25 Disks

| | |
|---|---|
| 16 Grit | (item # SD-7-16-CA) |
| 36 Grit | (item # SD-7-36-CA) |
| 60 Grit | (item # SD-7-60-CA) |

| | |
|---|---|
| 4.5” Reusable Backing Pad | (item # BP-4.5-1) |

| | |
|---|---|
| 7” Reusable Backing Pad | (item # BP-7-1) |

| | |
|---|---|
| 4.5” Diamabrush Removal Tool | (item # DB-4.5-RT) |
| 4.5” Diamabrush Replacement Blades | (item # DB-4.5-RB) |
| 4.5” Diamabrush Removal Tool Dust Shroud | (item # DB-4.5-DS) |

| | |
|---|---|
| 7” Diamabrush Removal Tool | (item # DB-7-RT) |
| 7” Diamabrush Replacement Blades | (item # DB-7-RB) |
| 7” Diamabrush Removal Tool Dust Shroud | (item # DB-7-DS) |

# Epoxies

## Epoxy X-40 Bond Coat

X40 Bondcoat is a two component, solvent free, low odor moisture tolerant epoxy primer. Once cured, it creates a new surface damp proof primer enabling early access onto the substrates for coatings, screeds, and self levelers. With its excellent adhesion properties and back pressure results, it can also be applied in wet conditions and, in extreme measures, underwater.

| | |
|---|---|
| 1 Kit | (item # X40) |
| 3 Kit | (item # X40-3) |
| 5 Kit | (item # X40-5) |
| 100 Kit | (item # X40-Pallet) |

## Cool Weather Epoxy X-40 Bond Coat

Designed to be used with concrete and other similar finishes, this epoxy is a two-component, solvent free epoxy resin designed specifically for applications as low as 40°F for use during cooler weather.

Cool weather epoxy can be used as a Rapid-Set epoxy in warm weather. For further information on this product, please contact your trainer.

| | |
|---|---|
| 1 Kit | (item # X40C) |
| 3 Kit | (item # X40C-3) |
| 5 Kit | (item # X40C-5) |
| 100 Kit | (item # X40C-Pallet) |

## Rapid Set Epoxy X-40 Minis

This kit contains 3 Kits of Rapid Set X40 Bond Coat, 0.75kg ea.

| | |
|---|---|
| 3 Kit Rapid Set Epoxy X-40 Minis | (item # X40C-Mini-3Pack) |

# & ACCESSORIES

## High Build Epoxy -Trowel Grade

X40-200 HBT is a high solids, two component, low odour and solvent free elastomeric urethane epoxy.

It combines the durability of epoxies with the flexibility of a polyurethane. It is designed to be used as a flexible, crack bridging membrane, or joint filler where substrate movement is evident or is anticipated or maybe subject to vibration. X40-200 HBT is also used as waterproofing membrane and coating exhibiting good resistance to acids, alkalis', and most solvents.

| | |
|---|---|
| 1 Kit | (item # X40-200-HBT) |
| 2 Kit | (item # X40-200-HBT2) |
| 4 Kit | (item # X40-200-HBT4) |

## Fiberglass Mesh

12.5" x 150 ft. roll of Fiberglass Mesh

| | |
|---|---|
| 12.5" Mesh | (item # MESH-12.5x150) |

## Single Flint Torch Striker

Single Flint Torch Striker with high-tensile wire frame for ease of operation and light weight convenience

| | |
|---|---|
| 1 Spark Igniter | (item # Spark Igniter) |

## 5 Gallon Polypro Epoxy Mixer

This solid core, galvanized steel polypro mixer allows epoxy to be mixed smoothly, minimizing air pockets. Can be used in a 5-gallon container with any electric drill.

| | |
|---|---|
| 5 Gallon Polypro Epoxy Mixer | (item # ESM-5GAL) |

## Silicone Aerosol Spray

- Heavy duty silicone (release agent)
- Colorless, odorless, non-staining, non-corrosive
- Helps avoid over spray build-up

| | |
|---|---|
| 10wt oz (283g) Silicone Aerosol | (item # Silicone Spray) |

# ACCESSORIES

## Spiked Shoes

The spiked shoes allow you to walk wet epoxy without damaging the coating. Can be worn with work boots or sneakers. Spiked shoe snaps on.

Shipped From USA

| | | |
|---|---|---|
| Medium | Size 9 and under | (item # SPK-MD) |
| Large | Size 9 – 11 | (item # SPK-LG) |
| X-Large | Size 11 + | (item # SPK-XL) |

## Red Pigment Pack for X40 Bond Coat

Pigment Packs for use with 100% mixtures of X40 and X40C epoxy.

**DO NOT USE WITH 50/50 MIXTURE.**

| | |
|---|---|
| (1) 1 lb tub with scoop | (item # X40-PP-BULK) |
| (8) 1 lb tub with scoop | (item # X40-PP-BULK-CA) |

## Silicone Return Plug

1” to 2” Silicone Reusable Expansion Return Plugs

| | |
|---|---|
| 3 Pack of 1”-2” Plugs | (item # SRP-2 3PAK) |

## Large Silicone Return Plug

1 3/4 x 2 3/4 Large Silicone Reusable Expansion Return Plugs

| | |
|---|---|
| 2 Pack of 1 3/4” x 2 3/4” Plugs | (item # SRP-3 2PAK) |

# EQUIPMENT
FOR EXISTING INSTALLERS ONLY

## IBIX: Pro Vortex Gun (Black)

The Pro Pool Coater the Pros use…
The High Output Vortex System allows installers to apply the finishes at a faster pace. A typical crew can easily install at a high output rate of 300-400 square feet per hour. A standard average size pool can be coated within a day.
*(Training not included.)*

| | |
|---|---|
| IBIX: Pro Vortex Gun (Black) | (item # IBIX-BLK) |

## IBIX: Standard Gun (Blue)

The High Flow Gun allows the installers to work within a steady pace to complete the finish in 1-2 days/140 square feet per hour.
*(Training not included.)*

| | |
|---|---|
| IBIX: Standard Gun (Blue) | (item # IBIX-BLU) |

# INSTALLATION EQUIPMENT ACCESSORIES

### ecoDUSTRIAL™ Hobby Gun

This Hobby Gun is created for the use of all of the ecoDUSTRIAL powders for small field installations Small propane tank required for use.

| | |
|---|---|
| ecoDUSTRIAL™ Hobby Coater | (item # IBIX-HOBBY) |

### Standard Gun for Pro Unit (Down-Grade Kit)

Allows you to run the Pro Unit as a Standard Unit with the smaller spray pattern and less heat.

| | |
|---|---|
| Standard Gun for Pro Unit (Down-Grade Kit) | (item # IBIX-BLK-140) |

### Detail Gun for Pro/Standard Unit

This detailed concentrated spray pattern allows for the easy install of stencils, freehanded detailing, and irregular areas.

| | |
|---|---|
| Detail Gun for Pro/Standard Unit | (item # IBIX-DETAIL) |

**Powder On/Off Switch**

### Powder On/Off Switch (for Pro & Standard Unit)

| | |
|---|---|
| Powder On/Off Switch (for Pro & Standard Unit) | (item # powderon/offswitch) |

# PREFERRED SEQUESTERING AGENTS

### Startup-Tec® PK 3-Day Startup Treatment

Treatment for the prevention of plaster dust, staining and mottling. To be added when pool is being filled to prevent staining and mottling.

| | |
|---|---|
| (8) 64 oz bottles | (item # Startup-CA-64oz) |

### Beautec® Superior Scale-Stain Controller

Superior scale and stain controller, and continuous pool surface, tile and equipment cleaner. Non-acid, non-phosphate multi-sequestrant controls all minerals. To be added to the pool monthly to help prevent scaling and staining.

| | |
|---|---|
| (8) 64 oz bottles | (item # Beautec-CA-64oz) |

### Scaletec Plus® Surface Descaler Stain Remover Treatment

Superior scale and stain controller, and continuous pool surface, tile and equipment cleaner. Non-acid, non-phosphate multi-sequestrant controls all minerals. To be added to the pool monthly to help prevent scaling and staining.

| | |
|---|---|
| (8) 64 oz bottles | (item # Scaletec-CA-64oz) |

shade SHELTER™
protection from the sun and wind

Shade Shelter™ is a versatile, quick deployment, and easy setup tent made to protect aquaBRIGHT™ and polyFIBRO® applicators from the adverse spray conditions of wind and the heat from the sun. It's stackable 25' x 10' and 25' x 20' sections with quick coupler design allows for easy custom configurations to meet the needs of each specific site (20' wide swimming pools max). The mesh roof allows for maximum ventilation while minimizing the sun's rays and gusts from the wind. The 20" tarpaulin water ballast drain as easy as they fill and come with a mesh bag to help deter mildew.

shade SHELTER™
protection from the sun and wind




25' x 10' Dome Tent

The smallest (10') ecoFINISH® Shade Shelter™ is very versatile and has the capability to be used independently for covering up sections of the pool while spraying. Don't be fooled by it's small size. This Dome Tent has the ability to be used to cover small pools or sections of larger pools.

## 25' x 10' Dome Tent

| | |
|---|---|
| (1) Dome Tent | (item # SS-DT-25106) |
| (1) 950W Blower | (item # SS-BL-US-950) |
| (1) 4 Kit Water Ballast | (item # SS-WB-4) |

*(Air Blowers and Water Ballasts are SOLD SEPARATELY)*

25' x 20' Dome Tent

The largest (20') ecoFINISH® Shade Shelter™ will do everything his little brother does and more. This Dome Tent will just about cover a small pool entirely. This particular tent is best used if you are continuously working on larger pools.

## 25' x 20' Dome Tent

| | |
|---|---|
| (1) Dome Tent | (item # SS-DT-25206) |
| (1) 1500W Blower | (item # SS-BL-US-1500) |
| (1) 6 Kit Water Ballast | (item # SS-WB-6) |

*(Air Blowers and Water Ballasts are SOLD SEPARATELY)*

Yes, ladies and gentlemen, the Shade Shelter™ Dome Tents connect. We made sure to keep everything versatile for easier use. You will have the ability to cover most pools by using any combination of the large and small Dome Tents. Take a look below at some of the different combinations possible. Each individual Dome Tent has the ability to be used over small pools or sections of larger pools. It is also very lightweight, so there's no hassle when it comes to moving it from pool section to pool section.

**30' Tent Combo**

## 30' Dome Tent Combo

| | |
|---|---|
| (1) 25' x 10' Dome Tent | (item # SS-DT-25106) |
| (1) 25' x 20' Dome Tent | (item # SS-DT-25206) |
| (2) 1500W Blower | (item # SS-BL-US-1500) |
| (1) 4 Kit Water Ballast | (item # SS-WB-4) |
| (1) 6 Kit Water Ballast | (item # SS-WB-6) |

**Suggested Water Ballast: (1)6 Kit & (1)4 Kit*

*(Air Blowers and Water Ballasts are SOLD SEPARATELY)*




**40' Tent Combo**

## 40' Dome Tent Combo

| | |
|---|---|
| (2) 25' x 20' Dome Tent | (item # SS-DT-25206) |
| (2) 1500W Blower | (item # SS-BL-US-1500) |
| (2) 6 Kit Water Ballast | (item # SS-WB-6) |

**Suggested Water Ballast: (1)6 Kit & (1)4 Kit*

*(Air Blowers and Water Ballasts are SOLD SEPARATELY)*




**50' Tent Combo**

## 50' Dome Tent Combo

| | |
|---|---|
| (1) 25' x 10' Dome Tent | (item # SS-DT-25106) |
| (2) 25' x 20' Dome Tent | (item # SS-DT-25206) |
| (2) 1500W Blower | (item # SS-BL-US-1500) |
| (1) 4 Kit Water Ballast | (item # SS-WB-4) |
| (2) 6 Kit Water Ballast | (item # SS-WB-6) |

**Suggested Water Ballast: (1)6 Kit & (1)4 Kit*

*(Air Blowers and Water Ballasts are SOLD SEPARATELY)*

**Water Ballast**

The Water Ballasts are designed to weigh down the Dome Tents for stability. The Water Ballast come in handy especially on those windy days. We strongly suggesst using these to anchor your Dome Tent and protect it from lifting caused by strong wind gusts.

## Water Ballast

| | |
|---|---|
| 4 Kit Water Ballast | (item # SS-WB-4) |
| 6 Kit Water Ballast | (item # SS-WB-6) |

**UL Certified Blower**

The UL Certified Blower is designed to inflate and stabalize the Dome Tents. The 950W Blower is suggested for the 10' Dome Tent. The 1500W Blower is suggested for the 20' Dome Tent and any Dome Tent Combo.

***(The number of blowers needed depends on the amount of Dome Tents desired for use).***

## UL Certified Blower

| | |
|---|---|
| 950W Blower | (item # SS-BL-US-950) |
| 1500W Blower | (item # SS-BL-US-1500) |

## Non-Skid Coating

## Traditional Coating

ecoFINISH® ecoDUSTRIAL™ Coatings are different than all other paints and finishes currently in use for construction and industrial applications. ecoDUSTRIAL™ Coatings are thermoplastic polymer powder coating finishes applied utilizing our thermal flame spray application process. The installation process is completely portable, so the finish can be applied at any location and on virtually any surface to create a beautiful protective barrier that will last for many years.

ecoDUSTRIAL™ Coatings are non-porous, pH neutral, and will stand up to harsh weather and UV exposure. These extremely durable finishes are resistant to chipping, peeling, chalking, and cracking, and they retain some of its flexibility even at low temperatures. ecoDUSTRIAL™ finishes cure in seconds, not days or weeks, as with other industrial coatings. The finish is suitable for wet or dry locations, and can be applied on concrete, fiberglass, and metal surfaces at installation speeds up to 800 square feet per hour.

ecoDUSTRIAL™
PROVEN INDUSTRIAL COATINGS


ED3-010 WHITE

ED3-011 BLACK


ED3-012 LIGHT BLUE


ED3-013 DARK BLUE


ED3-014 LIGHT GREY

ED3-015 IVORY

ED3-021 DARK GREY


ED3-023 TAN


ED3-024 YELLOW


ED3-025 AUSSIE BLUE


ED3-031 GREEN


ED3-032 BLUE NILE

ED3-034 BROWN


ED3-035 ROYAL BLUE


ED3-036 CALIFORNIA BLUE


ED3-037 BRIGHT YELLOW


ED3-038 BRIGHT ORANGE



complies with NSF/ANSI 61

**Complies with NSF/ANSI 61**
**(The NSF/ANSF 61 standard applies to Traditional Coatings only).**

Powder is sold in 5lbs, 10lbs, and 40lbs. box sizes.
*(SHIPPING AND TAX IS NOT INCLUDED)*

# NON-SKID COATINGS

ecoDUSTRIAL™
PROVEN INDUSTRIAL COATINGS


ED3-010-NS WHITE


ED3-011-NS BLACK


ED3-012-NS LIGHT BLUE


ED3-013-NS DARK BLUE


ED3-014-NS LIGHT GREY


ED3-015-NS IVORY


ED3-021-NS DARK GREY


ED3-023-NS TAN


ED3-024-NS YELLOW


ED3-025-NS AUSSIE BLUE

ED3-031-NS GREEN


ED3-032-NS BLUE NILE


ED3-034-NS BROWN


ED3-035-NS ROYAL BLUE


ED3-036-NS CALIFORNIA BLUE


ED3-037-NS BRIGHT YELLOW


ED3-038-NS BRIGHT ORANGE

Powder is sold in 5lbs, 10lbs, and 40lbs. box sizes.
*(SHIPPING AND TAX IS NOT INCLUDED)*

# ecoDUSTRIAL™ with BioCote®

**Food Processing Plant**

**Chemical Lab**

We now offer our ecoDUSTRIAL™ Coatings with BioCote®. This antimicrobial additive can resist and help prevent the growth of microbes including bacteria and mold. With the BioCote® antimicrobial added to ecoDUSTRIAL™ Coatings, microbial colonization is minimized, making the devices easier to keep hygienically clean, reducing unpleasant odors, and the risk of infection caused by cross-contamination.

With the antimicrobial added, ecoDUSTRIAL™ is an ideal coating for food processing plants, chemical labs, schools, water treatment plants, and more.

# STENCILS

| Capital Letters | |
|---|---|
| A | SN-C-A |
| B | SN-C-B |
| C | SN-C-C |
| D | SN-C-D |
| E | SN-C-E |
| F | SN-C-F |
| G | SN-C-G |
| H | SN-C-H |
| I | SN-C-I |
| J | SN-C-J |
| K | SN-C-K |
| L | SN-C-L |
| M | SN-C-M |
| N | SN-C-N |
| O | SN-C-O |
| P | SN-C-P |
| Q | SN-C-Q |
| R | SN-C-R |
| S | SN-C-S |
| T | SN-C-T |
| U | SN-C-U |
| V | SN-C-V |
| W | SN-C-W |
| X | SN-C-X |
| Y | SN-C-Y |
| Z | SN-C-Z |

| Lowercase Letters | |
|---|---|
| a | SN-L-a |
| b | SN-L-b |
| c | SN-L-c |
| d | SN-L-d |
| e | SN-L-e |
| f | SN-L-f |
| g | SN-L-g |
| h | SN-L-h |
| i | SN-L-i |
| j | SN-L-j |
| k | SN-L-k |
| l | SN-L-l |
| m | SN-L-m |
| n | SN-L-n |
| o | SN-L-o |
| p | SN-L-p |
| q | SN-L-q |
| r | SN-L-r |
| s | SN-L-s |
| t | SN-L-t |
| u | SN-L-u |
| v | SN-L-v |
| w | SN-L-w |
| x | SN-L-x |
| y | SN-L-y |
| z | SN-L-z |

| Stencil Whole Numbers | |
|---|---|
| 0 | SN-W-0 |
| 1 | SN-W-1 |
| 2 | SN-W-2 |
| 3 | SN-W-3 |
| 4 | SN-W-4 |
| 5 | SN-W-5 |
| 6 | SN-W-6 |
| 7 | SN-W-7 |
| 8 | SN-W-8 |
| 9 | SN-W-9 |

# aquaBRIGHT™ and polyFIBRO®
# MARKETING MATERIALS

## aquaBRIGHT™ Color Sample Board

| | |
|---|---|
| aquaBRIGHT™ Color Sample Board | (item # AB3-SB) |




## polyFIBRO® Color Sample Board

| | |
|---|---|
| polyFIBRO® Color Sample Board | (item # PF3-SB) |

## aquaBRIGHT™ Brochure

| | |
|---|---|
| 50 Pack aquaBRIGHT™ Brochure | (item # AB3-BROCH-50) |

## polyFIBRO® Brochure

| | |
|---|---|
| 50 Pack polyFIBRO® Brochure | (item # PF3-BROCH-50) |

# aquaBRIGHT™ and polyFIBRO® MARKETING MATERIALS

ecoFINISH®
HIGH PERFORMANCE COATINGS

aquaBRIGHT™ polyFIBRO® vs. Traditional Finishes

**Warranty**

The ecoFINISH® aquaBRIGHT™ and polyFIBRO® Pool Finishes warranty is unique to the industry. Other pool finish warranties generally require the pool owner to maintain perfect water chemistry and be able to provide proof of that perfectly maintained water over the life of the finish, or the warranty is null and void. Cementitious finishes will deteriorate from even mildly poor water chemistry, so it is crucial to maintain a balanced pH.

Our Limited Warranty includes the following: Chemical Resistance, Chalking Resistance, Surface Mildew Growth Inhibition, Crack Resistance, Spall and Delamination Resistance, Organic Stain Resistance.
(Please see www.ecopoolfinish.com/support for the full warranty)

**pH Neutral Surface**

Simply put, unlike plaster or other cementitious surfaces, aquaBRIGHT™ and polyFIBRO® pool finishes are inert and do not react with the water chemistry. Any chemicals added to the water in a pool finished with ecoFINISH® pool coatings adjust the chemistry of the water – and only the water.

A 1991 scientific research report published by the School of Building Construction at the University of Florida stated, "The deterioration of marcite (plaster) has been found to be chemically related and due primarily to leaching of calcium hydroxide (portlandite) from localized areas of pool plaster. Acidic pool water (pH less than 7.0) can wreak havoc on marcite and pool plumbing, resulting in etching and staining. Proposed solutions to control the damage aggressive water can produce include (1) paying careful attention to water chemistry to avoid unbalanced water conditions and (2) providing a chemically inert barrier between the pool water and the marcite surface."

In 1991 there was no such barrier solution… now there's aquaBRIGHT™ and polyFIBRO®.

**Use Less Chemicals**

Since there is no chemical reaction between the water and the cementitious surfaces causing a constant shift in pH, a pool coated with ecoFINISH® pool coatings will use less chemicals. Commercial pool owners have reported up to a 40% savings in annual chemical consumption for the same pool after being finished with our high performance pool finishes.

**Easy Chemistry**

The target chemical balance for a pool finished in aquaBRIGHT™ or polyFIBRO® is basically the same as a vinyl liner pool. Pool owners will find it very easy to maintain the proper pH and chlorine levels, as the major cause of pH drift has been eliminated. Even the job of adding chemicals is easier, since there is now no reason to pre-dilute the acid by mixing with water prior to pouring into the pool.

**Chemical Resistant**

aquaBRIGHT™ and polyFIBRO® are manufactured from resin in the same base polymer family as the jugs used for storing pool chemicals. They are both approved for installation in swimming pools and spas heated up to 104° F, and are resistant to blistering, chalking, peeling, cracking, and other signs of deterioration in normal use.

United States · Canada · Europe · Australia · New Zealand

## ecoFINISH® vs. Traditional Pool Finishes Tri-fold

| 50 Pack ecotrifold | (item # ecotrifold-50) |
|---|---|

10 Year Limited Warranty

aquaBRIGHT™ polyFIBRO®

ecoFINISH®

IAPMO RESEARCH AND TESTING, INC.

NSF/ANSI 61 CERTIFICATE OF LISTING

Effective Date: April 2018 Void After: April 2019

Product: Drinking Water System Components - Health Effects File No. 9-18518

Issued To: Ecofinish, LLC
101 Constance Drive
Warminster, PA 18974

Identification: Each product shall be permanently and legibly marked with the manufacturer's name or trademark. The product may also be marked with the standard designation "NSF/ANSI 61".

Characteristics: Materials or products that come into contact with drinking water and/or drinking water treatment chemicals. Products and materials may include process media, protective materials, joining and sealing materials, pipes and related products, mechanical devices used with treatment/transmission/distribution systems, and mechanical plumbing devices. To be installed in accordance with the manufacturer's instruction. Lead free requirements are addressed under a separate certificate of listing.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following standard(s):

## ecoFINISH® Warranty/NSF-61 Certification Sheet

| 50 Pack ecowarranty | (item # ecowarranty-50) |
|---|---|

# ecoDUSTRIAL™ and aquaticLIFE™ MARKETING MATERIALS

### ecoDUSTRIAL™ Traditional Cut Sheet

| ecoDUSTRIAL™ Traditional Cut Sheet | (item # ED3-CS) |
|---|---|

### ecoDUSTRIAL™ Non-Skid Cut Sheet

| ecoDUSTRIAL™ Non-Skid Cut Sheet | (item # ED3-NS-CS) |
|---|---|

### ecoDUSTRIAL™ Brochure

| 50 Pack ecoDUSTRIAL™ Brochure | (item # ED3-BROCH-50) |
|---|---|

### aquaticLIFE™ Brochure

| 50 Pack aquaticLIFE™ Brochure | (item # AQLIFE-BROCH-50) |
|---|---|

# Express Order Form

Company _____ Ordered By _____ Req. Ship Date _____

Ship to Address _____ City _____ State _____ Zip_____

Phone _____ PO# _____ Order Date _____

Ship Via: ☐ Ground ☐ 3 Day ☐ 2 Day Overnight ☐ AM or ☐ PM

Send Orders To: po@ecopoolfinish.com OR By Fax To: 1-877-448-2521

## aquaBRIGHT Series 3 Powders

(40lb Increments Only)

| | | |
|---|---|---|
| AB3-BG | Blue Granite | QTY_____ Boxes |
| AB3-BL | Blue Lagoon | QTY_____ Boxes |
| AB3-BM | Blue Mist | QTY_____ Boxes |
| AB3-FG | French Grey | QTY_____ Boxes |
| AB3-GR | Grey Reef | QTY_____ Boxes |
| AB3-KC | Kona Coast | QTY_____ Boxes |
| AB3-MB | Mediterranean Blue | QTY_____ Boxes |
| AB3-MD | Midnight Blue | QTY_____ Boxes |
| AB3-PN | Perle Noire | QTY_____ Boxes |
| AB3-SS | Sahara Sand | QTY_____ Boxes |
| AB3-Sample | AB Sample Kit | QTY_____ Kit |

## polyFIBRO Series 3 Powders

(40lb Increments Only)

| | | |
|---|---|---|
| PF3-BA | Black Absinthe | QTY_____ Boxes |
| PF3-CV | Cabo Verde | QTY_____ Boxes |
| PF3-GV | Giallo Versilla | QTY_____ Boxes |
| PF3-II | Ice Ice Bay Bay | QTY_____ Boxes |
| PF3-MK | Marrakesh | QTY_____ Boxes |
| PF3-PB | Pacific Blue | QTY_____ Boxes |
| PF3-SS | Sandstone | QTY_____ Boxes |
| PF3-SB | Sandy Beach | QTY_____ Boxes |
| PF3-SN | Santorini | QTY_____ Boxes |
| PF3-Sample | PF Sample Kit | QTY_____ Boxes |

## Commercial Colors

(40lb Increments Only)

| | | |
|---|---|---|
| CM3-WH | Commercial White | QTY_____ Boxes |

## Fabric

Fluorofab Silicone Fabric 9x20 Yards

| | | |
|---|---|---|
| Silicone Fabric | FAB-9x20 | QTY_____ Roll (1 Roll) |
| Silicone Fabric | FAB-9x20-CA | QTY_____ Case (4 Rolls) |

## Spiked Shoes

| | | |
|---|---|---|
| Spiked Shoes Medium *Sizes 9 and under* | SPK-MD | QTY_____ |
| Spiked Shoes Large *Sizes 9 - 11* | SPK-LG | QTY_____ |
| Spiked Shoes X-Large *Sizes 11+* | SPK-XL | QTY_____ |

## Epoxy

| | | |
|---|---|---|
| X40 Bond Coat 4kg | X40-1 | QTY_____ 1 Kit |
| X40 Bond Coat 4kg | X40-3 | QTY_____ 3 Kit |
| X40 Bond Coat 4kg | X40-5 | QTY_____ 5 Kit |

## Cool Weather Epoxy

| | | |
|---|---|---|
| X40C Bond Coat 4kg | X40C-1 | QTY_____ 1 Kit |
| X40C Bond Coat 4kg | X40C-3 | QTY_____ 3 Kit |
| X40C Bond Coat 4kg | X40C-5 | QTY_____ 5 Kit |

## Rapid Set Epoxy

| | | |
|---|---|---|
| Rapid Set Epoxy | X40C-Mini-3Pack | QTY_____ Kit |

## High Build Epoxy

| | | |
|---|---|---|
| X40 200 HBT | X40-200-HBT-1 | QTY_____ 1 Kit |
| X40 200 HBT | X40-200-HBT-2 | QTY_____ 2 Kit |
| X40 200 HBT | X40-200-HBT-4 | QTY_____ 4 Kit |

## Mesh

| | | |
|---|---|---|
| 12" Mesh | Mesh-12.5x150 | QTY_____ Roll |

## 5 Gallon Polypro Epoxy Mixer

| | | |
|---|---|---|
| Squirrel Mixer | ESM 5gal | QTY_____ |

## Pigment Packet for 100% Epoxy

| | | | |
|---|---|---|---|
| Pigment X40/X40C | X40-PP-BULK | QTY _____ | 1 LB. Jar |
| Pigment X40/X40C | X40-PP-BULK-CA | QTY_____ | Case (8) |

## Tapes

1" by 36 Yards Glass Coated Silicone Tape

| | | | |
|---|---|---|---|
| 1" Heat Tape | HT-1x36-5 | QTY _____ | Sleeve (5 Rolls) |
| 1" Heat Tape | HT-1x36-CA | QTY _____ | Case (40 Rolls) |

2" by 36 Yards Glass Coated Silicone Tape

| | | | |
|---|---|---|---|
| 2" Heat Tape | HT-2x36-5 | QTY _____ | Sleeve (5 Rolls) |
| 2" Heat Tape | HT-2x36-CA | QTY _____ | Case (20 Rolls) |

4" by 36 Yards Glass Coated Silicone Tape

| | | | |
|---|---|---|---|
| 4" Heat Tape | HT-4x36 | QTY _____ | (1 Roll) |
| 4" Heat Tape | HT-4x36-CA | QTY _____ | Case (8 Rolls) |

## Preferred Sequestering Agent

| | | |
|---|---|---|
| Beautec 64oz | Beautec-CA-64oz | QTY_____ (8 Bottles) |
| Startup-Tec 64oz | Startup-CA-64oz | QTY_____ (8 Bottles) |
| Scaletec 64oz | Scaletec-CA-64oz | QTY_____ (8 Bottles) |

# Express Order Form

Company _____ Ordered By _____ Req. Ship Date _____

Ship to Address _____ City _____ State _____ Zip_____

Phone _____ PO# _____ Order Date _____

Ship Via: ☐ Ground ☐ 3 Day ☐ 2 Day Overnight ☐ AM or ☐ PM

Send Orders To: po@ecopoolfinish.com OR By Fax To: 1-877-448-2521

## Semi-Flex Concrete Sanding Discs

| | | | | | |
|---|---|---|---|---|---|
| 16 Grit Discs | SD-4.5-16-5 | QTY_____ Sleeve (5) | 16 Grit Discs | SD-7-16-5 | QTY_____ Sleeve (5) |
| 16 Grit Discs | SD-4.5-16-CA | QTY_____ Case (25) | 16 Grit Discs | SD-7-16-CA | QTY_____ Case (25) |
| 36 Grit Discs | SD-4.5-36-5 | QTY_____ Sleeve (5) | 36 Grit Discs | SD-7-36-5 | QTY_____ Sleeve (5) |
| 36 Grit Discs | SD-4.5-36-CA | QTY_____ Case (25) | 36 Grit Discs | SD-7-36-CA | QTY_____ Case (25) |
| 60 Grit Discs | SD-4.5-60-5 | QTY_____ Sleeve (5) | 60 Grit Discs | SD-7-60-5 | QTY_____ Sleeve (5) |
| 60 Grit Discs | SD-4.5-60-CA | QTY_____ Case (25) | 60 Grit Discs | SD-7-60-CA | QTY_____ Case (25) |

## Diamabrush Removal Disks

| | | | | | |
|---|---|---|---|---|---|
| 4.5" Diamabrush Removal Tool | DB-4.5-RT | QTY_____1 Disk | 7" Diamabrush Removal Tool | DB-7-RT | QTY_____1 Disk |
| 4.5" Replacement Blades Set | DB-4.5-RB | QTY_____1 Set | 7" Replacement Blades Set | DB-7-RB | QTY_____1 Set |
| 4.5" Tool Dust Shroud | DB-4.5-DS | QTY_____1 Shroud | 7" Tool Dust Shroud | DB-7-DS | QTY_____1 Shroud |

## Backing Pads

| | | |
|---|---|---|
| 4.5" Backing Pad | BP-4.5-1 | QTY_____1 Pad |
| 7" Backing Pad | BP-7-1 | QTY_____1 Pad |

## Silicone Return Plug

| | | |
|---|---|---|
| Silicone Return Plug | SRP-2 3PAK | QTY_____3 Pack |
| Large Silicone Return Plug | SRP-3 2PAK | QTY_____2 Pack |

## Single Flint Torch Striker

| | | |
|---|---|---|
| Spark Igniter | Spark Igniter | QTY_____ |

## Silicone Aerosol Spray

| | | |
|---|---|---|
| 10wt oz (283g) Silicone Aerosol | Silicone Spray | QTY_____ |

## Shade Shelter

| | | | | | |
|---|---|---|---|---|---|
| 10' Dome Tent | SS-DT-25106 | QTY _____ | 900W UL Certified Blower | SS-BL-US-900 | QTY _____ |
| 20' Dome Tent | SS-DT-25206 | QTY _____ | 1500W UL Certified Blower | SS-BL-US-1500 | QTY _____ |
| 4 Kit Water Ballast | SS-WB-4 | QTY _____ 4 Kit | | | |
| 6 Kit Water Ballast | SS-WB-6 | QTY _____ 6 Kit | | | |

## Literature

| | | | | | |
|---|---|---|---|---|---|
| aquaBRIGHT Sample Board(s) | AB3-SB | QTY _____ | 50 Pack ecoFINISH Comparison Tri-Fold | ecotrifold-50 | QTY _____ |
| 50 Pack aquaBRIGHT Brochure | AB3-BROCH-50 | QTY _____ | 50 Pack ecoDUSTRIAL Brochure | ED3-BROCH-50 | QTY _____ |
| polyFIBRO Sample Board(s) | PF3-SB | QTY _____ | ecoDUSTRIAL Traditional Cut Sheet | ED3-CS | QTY _____ |
| 50 Pack polyFIBRO Brochure | PF3-BROCH-50 | QTY _____ | ecoDUSTRIAL Non-Skid Cut Sheet | ED3-NS-CS | QTY _____ |
| 50 Pack ecoFINISH Warranty/NSF61 | ecowarranty-50 | QTY _____ | 50 Pack aquaticLIFE Brochure | AQLIFE-BROCH-50 | QTY _____ |

## French Literature

| | | |
|---|---|---|
| 50 Pack ecoDUSTRIAL Brochure | ED3-FR-BROCH-50 | QTY _____ |
| ecoDUSTRIAL Traditional Cut Sheet | ED3-FR-CS-TF | QTY _____ |
| ecoDUSTRIAL Non-Skid Cut Sheet | ED3-FR-NS-CS | QTY _____ |
| 50 Pack aquaticLIFE Brochure | AQLIFE-FR-BROCH-50 | QTY _____ |
| 50 Pack ecoFINISH Warranty/NSF61 | ecowarranty-FR-50 | QTY _____ |

## Spanish Literature

| | | |
|---|---|---|
| 50 Pack ecoDUSTRIAL Brochure | ED3-ES-BROCH-50 | QTY _____ |
| ecoDUSTRIAL Traditional Cut Sheet | ED3-ES-CS-TF | QTY _____ |
| ecoDUSTRIAL Non-Skid Cut Sheet | ED3-ES-NS-CS | QTY _____ |
| 50 Pack aquaticLIFE Brochure | AQLIFE-ES-BROCH-50 | QTY _____ |
| 50 Pack ecoFINISH Warranty/NSF61 | ecowarranty-ES-50 | QTY _____ |



**415 Constance Drive • Warminster • PA • 18974 • 1-800-333-1443 • www.ecopoolfinish.com**

Subject to the Terms & Conditions of the current ecoFINISH® Price Book Catalogue effective June 1, 2018

# Express Order Form

Company _____ Ordered By _____ Req. Ship Date _____
Ship to Address _____ City _____ State _____ Zip_____
Phone _____ PO# _____ Order Date _____
Ship Via: ☐ Ground ☐ 3 Day ☐ 2 Day Overnight ☐ AM or ☐ PM
Send Orders To: po@ecopoolfinish.com OR By Fax To: 1-877-448-2521

## 6" Verbiage Markers

| | | | |
|---|---|---|---|
| FT | FT | SV-6-FT | QTY_____ |
| FT. | FT. | SV-6-FT. | QTY_____ |
| FEET | FEET | SV-6-FEET | QTY_____ |
| FEET DEEP | FEET DEEP | SV-6-FD | QTY_____ |
| IN | IN | SV-6-IN | QTY_____ |
| IN. | IN. | SV-6-IN. | QTY_____ |
| INCHES | INCHES | SV-6-INCHES | QTY_____ |
| INCHES DEEP | INCHES DEEP | SV-6-ID | QTY_____ |
| M | m | SV-6-M | QTY_____ |
| M. | m. | SV-6-M. | QTY_____ |
| METERS | METERS | SV-6-METERS | QTY_____ |
| METERS DEEP | METERS DEEP | SV-6-MD | QTY_____ |
| DEEP | DEEP | SV-6-DEEP | QTY_____ |
| DEPTH | DEPTH | SV-6-DEPTH | QTY_____ |

## 6" Other Verbiage

| | | | |
|---|---|---|---|
| AT | AT | SV-6-AT | QTY_____ |
| CENTER | CENTER | SV-6-CENTER | QTY_____ |
| DRAIN | DRAIN | SV-6-DRAIN | QTY_____ |
| EDGE | EDGE | SV-6-EDGE | QTY_____ |
| END | END | SV-6-END | QTY_____ |
| ENTRY | ENTRY | SV-6-ENTRY | QTY_____ |
| NO | NO | SV-6-NO | QTY_____ |
| NO STEP | NO STEP | SV-6-NS | QTY_____ |
| NO DIVING | NO DIVING | SV-6-ND | QTY_____ |
| OR | OR | SV-6-OR | QTY_____ |
| POOL | POOL | SV-6-POOL | QTY_____ |
| RAMP | RAMP | SV-6-RAMP | QTY_____ |
| SEAT | SEAT | SV-6-SEAT | QTY_____ |
| SHELF | SHELF | SV-6-SHELF | QTY_____ |
| STEPS | STEPS | SV-6-STEPS | QTY_____ |
| TO | TO | SV-6-TO | QTY_____ |
| WALL | WALL | SV-6-WALL | QTY_____ |
| | NO DIVING SYMBOL | SS-6-ND | QTY_____ |

## 12" Verbiage Markers

| | | | |
|---|---|---|---|
| FEET | FEET | SV-12-FT | QTY_____ |
| FEET DEEP | FEET DEEP | SV-12-FD | QTY_____ |
| INCHES | INCHES | SV-12-IN | QTY_____ |
| INCHES DEEP | INCHES DEEP | SV-12-ID | QTY_____ |
| METERS | METERS | SV-12-MT | QTY_____ |
| METERS DEEP | METERS DEEP | SV-12-MD | QTY_____ |
| DEPTH | DEPTH | SV-12-DE | QTY_____ |

## 12" Other Verbiage

| | | | |
|---|---|---|---|
| CAUTION | CAUTION | SV-6-AT | QTY_____ |
| CENTER | CENTER | SV-6-CENTER | QTY_____ |
| DRAIN | DRAIN | SV-6-DRAIN | QTY_____ |
| ENTRY | ENTRY | SV-6-EDGE | QTY_____ |
| KEEP OFF | KEEP OFF | SV-6-END | QTY_____ |
| LIFEGUARD | LIFEGUARD | SV-6-ENTRY | QTY_____ |
| NO CLIMBING | NO CLIMBING | SV-6-NO | QTY_____ |
| NO DIVING | NO DIVING | SV-6-NS | QTY_____ |
| NO ENTRY | NO ENTRY | SV-6-ND | QTY_____ |
| NO JUMPING | NO JUMPING | SV-6-OR | QTY_____ |
| NO RUNNING | NO RUNNING | SV-6-POOL | QTY_____ |
| NO STEP | NO STEP | SV-6-RAMP | QTY_____ |
| SHALLOW | SHALLOW | SV-6-SEAT | QTY_____ |
| SHELF | SHELF | SV-6-SHELF | QTY_____ |
| VARIES | VARIES | SV-6-STEPS | QTY_____ |
| WATER | WATER | SV-6-TO | QTY_____ |
| ZERO DEPTH | ZERO DEPTH | SV-6-WALL | QTY_____ |
| ZERO ENTRY | ZERO ENTRY | SS-6-ND | QTY_____ |

## 24" Verbiage Markers

| | | | |
|---|---|---|---|
| NO DIVING | NO DIVING | SV-24-ND | QTY_____ |

## 48" Verbiage Markers

| | | | |
|---|---|---|---|
| NO DIVING | NO DIVING | SV-48-ND | QTY_____ |

# Express Order Form

Company _____ Ordered By _____ Req. Ship Date _____

Ship to Address _____ City _____ State _____ Zip_____

Phone _____ PO# _____ Order Date _____

Ship Via: ☐ Ground ☐ 3 Day ☐ 2 Day Overnight ☐ AM or ☐ PM

Send Orders To: po@ecopoolfinish.com OR By Fax To: 1-877-448-2521

## Numbers With Small m

| | | |
|---|---|---|
| 0m | SN-.3-m | QTY_____ |
| 0.3m | SN-.3-m | QTY_____ |
| 0.5m | SN-.5-m | QTY_____ |
| 0.6m | SN-.6-m | QTY_____ |
| 0.8m | SN-.8-m | QTY_____ |
| 0.9m | SN-.9-m | QTY_____ |
| 1.1m | SN-1.1-m | QTY_____ |
| 1.2m | SN-1.2-m | QTY_____ |
| 1.4m | SN-1.4-m | QTY_____ |
| 1.5m | SN-1.5-m | QTY_____ |
| 1.7m | SN-1.7-m | QTY_____ |
| 1.8m | SN-1.8-m | QTY_____ |
| 2.0m | SN-2.0-m | QTY_____ |
| 2.1m | SN-2.1-m | QTY_____ |
| 2.3m | SN-2.3-m | QTY_____ |
| 2.4m | SN-2.4-m | QTY_____ |
| 2.6m | SN-2.6-m | QTY_____ |
| 2.7m | SN-2.7-m | QTY_____ |
| 2.9m | SN-2.9-m | QTY_____ |
| 3.0m | SN-W-3.0-m | QTY_____ |
| 3.4m | SN-3.4-m | QTY_____ |
| 3.6m | SN-3.6-m | QTY_____ |
| 3.7m | SN-3.7-m | QTY_____ |

## Numbers With Small FT

| | | |
|---|---|---|
| 0FT | SN-W-0-FT | QTY_____ |
| ½FT | SN-H-0-FT | QTY_____ |
| 1FT | SN-W-1-FT | QTY_____ |
| 1½FT | SN-H-1-FT | QTY_____ |
| 2FT | SN-W-2-FT | QTY_____ |
| 2½FT | SN-H-2-FT | QTY_____ |
| 3FT | SN-W-3-FT | QTY_____ |
| 3½FT | SN-H-3-FT | QTY_____ |
| 4FT | SN-W-4-FT | QTY_____ |
| 4½FT | SN-H-4-FT | QTY_____ |
| 5FT | SN-W-5-FT | QTY_____ |
| 5½FT | SN-H-5-FT | QTY_____ |
| 6FT | SN-W-6-FT | QTY_____ |
| 6½FT | SN-H-6-FT | QTY_____ |
| 7FT | SN-W-7-FT | QTY_____ |
| 7½FT | SN-H-7-FT | QTY_____ |
| 8FT | SN-W-8-FT | QTY_____ |
| 8½FT | SN-H-8-FT | QTY_____ |
| 9FT | SN-W-9-FT | QTY_____ |
| 9½FT | SN-H-9-FT | QTY_____ |
| 10FT | SN-W-10-FT | QTY_____ |
| 11FT | SN-W-11-FT | QTY_____ |
| 12FT | SN-W-12-FT | QTY_____ |

## Numbers With Small IN

| | | |
|---|---|---|
| 0IN | SN-W-0-IN | QTY_____ |
| 1IN | SN-W-1-IN | QTY_____ |
| 2IN | SN-W-2-IN | QTY_____ |
| 3IN | SN-W-3-IN | QTY_____ |
| 4IN | SN-W-4-IN | QTY_____ |
| 5IN | SN-W-5-IN | QTY_____ |
| 6IN | SN-W-6-IN | QTY_____ |
| 7IN | SN-W-7-IN | QTY_____ |
| 8IN | SN-W-8-IN | QTY_____ |
| 9IN | SN-W-9-IN | QTY_____ |
| 10IN | SN-W-10-IN | QTY_____ |
| 11IN | SN-W-11-IN | QTY_____ |
| 12IN | SN-W-12-IN | QTY_____ |
| 14IN | SN-W-14-IN | QTY_____ |
| 16IN | SN-W-16-IN | QTY_____ |
| 17IN | SN-W-17-IN | QTY_____ |
| 18IN | SN-W-18-IN | QTY_____ |



**415 Constance Drive • Warminster • PA • 18974 • 1-800-333-1443 • www.ecopoolfinish.com**

Subject to the Terms & Conditions of the current ecoFINISH® Price Book Catalogue effective June 1, 2018

# Express Order Form

Company _____ Ordered By _____ Req. Ship Date _____

Ship to Address _____ City _____ State _____ Zip_____

Phone _____ PO# _____ Order Date _____

Ship Via: ☐ Ground ☐ 3 Day ☐ 2 Day Overnight ☐ AM or ☐ PM

Send Orders To: po@ecopoolfinish.com OR By Fax To: 1-877-448-2521

## Stencil Whole Numbers

| | | |
|---|---|---|
| 0 | SN-W-0 | QTY_____ |
| 1 | SN-W-1 | QTY_____ |
| 2 | SN-W-2 | QTY_____ |
| 3 | SN-W-3 | QTY_____ |
| 4 | SN-W-4 | QTY_____ |
| 5 | SN-W-5 | QTY_____ |
| 6 | SN-W-6 | QTY_____ |
| 7 | SN-W-7 | QTY_____ |
| 8 | SN-W-8 | QTY_____ |
| 9 | SN-W-9 | QTY_____ |
| 10 | SN-W-10 | QTY_____ |
| 11 | SN-W-11 | QTY_____ |
| 12 | SN-W-12 | QTY_____ |
| 14 | SN-W-14 | QTY_____ |
| 16 | SN-W-16 | QTY_____ |
| 17 | SN-W-17 | QTY_____ |
| 18 | SN-W-18 | QTY_____ |
| 20 | SN-W-20 | QTY_____ |
| 22 | SN-W-22 | QTY_____ |
| 24 | SN-W-24 | QTY_____ |

## Stencil Decimal Numbers

| | | |
|---|---|---|
| 0.3 | SN-.3 | QTY_____ |
| 0.5 | SN-.5 | QTY_____ |
| 0.6 | SN-.6 | QTY_____ |
| 0.8 | SN-.8 | QTY_____ |
| 0.9 | SN-.9 | QTY_____ |
| 1.1 | SN-1.1 | QTY_____ |
| 1.2 | SN-1.2 | QTY_____ |
| 1.4 | SN-1.4 | QTY_____ |
| 1.5 | SN-1.5 | QTY_____ |
| 1.7 | SN-1.7 | QTY_____ |
| 1.8 | SN-1.8 | QTY_____ |
| 2.0 | SN-2.0 | QTY_____ |
| 2.1 | SN-2.1 | QTY_____ |
| 2.3 | SN-2.3 | QTY_____ |
| 2.4 | SN-2.4 | QTY_____ |
| 2.6 | SN-2.6 | QTY_____ |
| 2.7 | SN-2.7 | QTY_____ |
| 2.9 | SN-2.9 | QTY_____ |
| 3.0 | SN-3.0 | QTY_____ |
| 3.4 | SN-3.4 | QTY_____ |
| 3.6 | SN-3.6 | QTY_____ |
| 3.7 | SN-3.7 | QTY_____ |

# Express Order Form

Company _____ Ordered By _____ Req. Ship Date _____

Ship to Address _____ City _____ State/Province _____ Zip_____

Country_____ Phone _____ PO# _____ Order Date _____

Ship Via: ☐ Ground ☐ 3 Day ☐ 2 Day Overnight ☐ AM or ☐ PM

Send Orders To: po@ecopoolfinish.com OR By Fax To: 1-877-448-2521

## TRADITIONAL COATINGS

| SKU# | COLOR | Choose Quantity for 5 LB boxes | Choose Quantity for 10 LB boxes | Choose Quantity for 40 LB boxes |
|---|---|---|---|---|
| ED3-010 | White | | | |
| ED3-011 | Black | | | |
| ED3-012 | Light Blue | | | |
| ED3-013 | Dark Blue | | | |
| ED3-014 | Light Grey | | | |
| ED3-015 | Ivory | | | |
| ED3-021 | Dark Grey | | | |
| ED3-023 | Tan | | | |
| ED3-024 | Yellow | | | |
| ED3-025 | Aussie Blue | | | |
| ED3-031 | Green | | | |
| ED3-032 | Blue Nile | | | |
| ED3-034 | Brown | | | |
| ED3-035 | Royal Blue | | | |
| ED3-036- | California Blue | | | |
| ED3-037 | Bright Yellow | | | |
| ED3-038 | Bright Orange | | | |

## NON-SKID COATINGS

| SKU# | COLOR | Choose Quantity for 5 LB boxes | Choose Quantity for 10 LB boxes | Choose Quantity for 40 LB boxes |
|---|---|---|---|---|
| ED3-010-NS | NS White | | | |
| ED3-011-NS | NS Black | | | |
| ED3-012-NS | NS Light Blue | | | |
| ED3-013-NS | NS Dark Blue | | | |
| ED3-014-NS | NS Light Grey | | | |
| ED3-015-NS | NS Ivory | | | |
| ED3-021-NS | NS Dark Grey | | | |
| ED3-023-NS | NS Tan | | | |
| ED3-024-NS | NS Yellow | | | |
| ED3-025-NS | NS Aussie Blue | | | |
| ED3-031-NS | NS Green | | | |
| ED3-032-NS | NS Blue Nile | | | |
| ED3-034-NS | NS Brown | | | |
| ED3-035-NS | NS Royal Blue | | | |
| ED3-036-NS | NS California Blue | | | |
| ED3-037-NS | NS Bright Yellow | | | |
| ED3-038-NS | NS Bright Orange | | | |



**415 Constance Drive • Warminster • PA • 18974 • 1-800-333-1443 • www.ecopoolfinish.com**

Subject to the Terms & Conditions of the current ecoFINISH® Price Book Catalogue effective June 1, 2018

# Express Order Form

Company _____ Ordered By _____ Req. Ship Date _____

Ship to Address _____ City _____ State _____ Zip_____

Phone _____ PO# _____ Order Date _____

Ship Via: ☐ Ground ☐ 3 Day ☐ 2 Day Overnight ☐ AM or ☐ PM

Send Orders To: po@ecopoolfinish.com OR By Fax To: 1-877-448-2521

## Fabric

Fluorofab Silicone Fabric 9x20 Yards

| | | |
|---|---|---|
| Silicone Fabric | FAB-9x20 | QTY_____ Roll (1 Roll) |
| Silicone Fabric | FAB-9x20-CA | QTY_____ Case (4 Rolls) |

## Spiked Shoes

| | | |
|---|---|---|
| Spiked Shoes Medium *Sizes 9 and under* | SPK-MD | QTY_____ |
| Spiked Shoes Large *Sizes 9 - 11* | SPK-LG | QTY_____ |
| Spiked Shoes X-Large *Sizes 11+* | SPK-XL | QTY_____ |

## Rapid Set Epoxy

| | | |
|---|---|---|
| Rapid Set Epoxy | X40C-6PK | QTY_____ Kit |

## 5 Gallon Polypro Epoxy Mixer

| | | |
|---|---|---|
| Squirrel Mixer | ESM 5gal | QTY_____ |

## Pigment Packet for 100% Epoxy

| | | | |
|---|---|---|---|
| Pigment X40/X40C | X40-PP-BULK | QTY _____ | 1 LB. Jar |

## Tapes

1" by 36 Yards Glass Coated Silicone Tape

| | | | |
|---|---|---|---|
| 1" Heat Tape | HT-1x36 | QTY _____ | Sleeve (1 Roll) |
| 1" Heat Tape | HT-1x36-5 | QTY _____ | Sleeve (5 Rolls) |

2" by 36 Yards Glass Coated Silicone Tape

| | | | |
|---|---|---|---|
| 2" Heat Tape | HT-2x36 | QTY _____ | Sleeve (1 Roll) |
| 2" Heat Tape | HT-2x36-5 | QTY _____ | Sleeve (5 Rolls) |

4" by 36 Yards Glass Coated Silicone Tape

| | | | |
|---|---|---|---|
| 4" Heat Tape | HT-4x36 | QTY _____ | (1 Roll) |

## Semi-Flex Concrete Sanding Discs

| | | | |
|---|---|---|---|
| 16 Grit Discs | SD-4.5-16-5 | QTY_____ | Sleeve (5) |
| 16 Grit Discs | SD-4.5-16-CA | QTY_____ | Case (25) |
| 36 Grit Discs | SD-4.5-36-5 | QTY_____ | Sleeve (5) |
| 36 Grit Discs | SD-4.5-36-CA | QTY_____ | Case (25) |
| 60 Grit Discs | SD-4.5-60-5 | QTY_____ | Sleeve (5) |
| 60 Grit Discs | SD-4.5-60-CA | QTY_____ | Case (25) |
| 16 Grit Discs | SD-7-16-5 | QTY_____ | Sleeve (5) |
| 16 Grit Discs | SD-7-16-CA | QTY_____ | Case (25) |
| 36 Grit Discs | SD-7-36-5 | QTY_____ | Sleeve (5) |
| 36 Grit Discs | SD-7-36-CA | QTY_____ | Case (25) |
| 60 Grit Discs | SD-7-60-5 | QTY_____ | Sleeve (5) |
| 60 Grit Discs | SD-7-60-CA | QTY_____ | Case (25) |

## Diamabrush Removal Disks

| | | | |
|---|---|---|---|
| 4.5" Diamabrush Removal Tool | DB-4.5-RT | QTY_____ | 1 Disk |
| 4.5" Replacement Blades Set | DB-4.5-RB | QTY_____ | 1 Set |
| 4.5" Tool Dust Shroud | DB-4.5-DS | QTY_____ | 1 Shroud |
| 7" Diamabrush Removal Tool | DB-7-RT | QTY_____ | 1 Disk |
| 7" Replacement Blades Set | DB-7-RB | QTY_____ | 1 Set |
| 7" Tool Dust Shroud | DB-7-DS | QTY_____ | 1 Shroud |

## Backing Pads

| | | | |
|---|---|---|---|
| 4.5" Backing Pad | BP-4.5-1 | QTY_____ | 1 Pad |
| 7" Backing Pad | BP-7-1 | QTY_____ | 1 Pad |

## Literature

| | | |
|---|---|---|
| 50 Pack ecoDUSTRIAL Brochure | ED3-BROCH-50 | QTY _____ |
| ecoDUSTRIAL Traditional Cut Sheet | ED3-CS | QTY _____ |
| ecoDUSTRIAL Non-Skid Cut Sheet | ED3-NS-CS | QTY _____ |

# Express Order Form

Company _____ Ordered By _____ Req. Ship Date _____

Ship to Address _____ City _____ State _____ Zip_____

Phone _____ PO# _____ Order Date _____

Ship Via: ☐ Ground ☐ 3 Day ☐ 2 Day Overnight ☐ AM or ☐ PM

Send Orders To: po@ecopoolfinish.com OR By Fax To: 1-877-448-2521

## Stencil Capital Letters

| | | |
|---|---|---|
| A | SN-C-A | QTY_____ |
| B | SN-C-B | QTY_____ |
| C | SN-C-C | QTY_____ |
| D | SN-C-D | QTY_____ |
| E | SN-C-E | QTY_____ |
| F | SN-C-F | QTY_____ |
| G | SN-C-G | QTY_____ |
| H | SN-C-H | QTY_____ |
| I | SN-C-I | QTY_____ |
| J | SN-C-J | QTY_____ |
| K | SN-C-K | QTY_____ |
| L | SN-C-L | QTY_____ |
| M | SN-C-M | QTY_____ |
| N | SN-C-N | QTY_____ |
| O | SN-C-O | QTY_____ |
| P | SN-C-P | QTY_____ |
| Q | SN-C-Q | QTY_____ |
| R | SN-C-R | QTY_____ |
| S | SN-C-S | QTY_____ |
| T | SN-C-T | QTY_____ |
| U | SN-C-U | QTY_____ |
| V | SN-C-V | QTY_____ |
| W | SN-C-W | QTY_____ |
| X | SN-C-X | QTY_____ |
| Y | SN-C-Y | QTY_____ |
| Z | SN-C-Z | QTY_____ |

## Stencil Lowercase Letters

| | | |
|---|---|---|
| a | SN-L-a | QTY_____ |
| b | SN-L-b | QTY_____ |
| c | SN-L-c | QTY_____ |
| d | SN-L-d | QTY_____ |
| e | SN-L-e | QTY_____ |
| f | SN-L-f | QTY_____ |
| g | SN-L-g | QTY_____ |
| h | SN-L-h | QTY_____ |
| i | SN-L-I | QTY_____ |
| j | SN-L-j | QTY_____ |
| k | SN-L-k | QTY_____ |
| l | SN-L-l | QTY_____ |
| m | SN-L-m | QTY_____ |
| n | SN-L-n | QTY_____ |
| o | SN-L-o | QTY_____ |
| p | SN-L-p | QTY_____ |
| q | SN-L-q | QTY_____ |
| r | SN-L-r | QTY_____ |
| s | SN-L-s | QTY_____ |
| t | SN-L-t | QTY_____ |
| u | SN-L-u | QTY_____ |
| v | SN-L-v | QTY_____ |
| w | SN-L-w | QTY_____ |
| x | SN-L-x | QTY_____ |
| y | SN-L-y | QTY_____ |
| z | SN-L-z | QTY_____ |

## Stencil Whole Numbers

| | | |
|---|---|---|
| 0 | SN-W-0 | QTY_____ |
| 1 | SN-W-1 | QTY_____ |
| 2 | SN-W-2 | QTY_____ |
| 3 | SN-W-3 | QTY_____ |
| 4 | SN-W-4 | QTY_____ |
| 5 | SN-W-5 | QTY_____ |
| 6 | SN-W-6 | QTY_____ |
| 7 | SN-W-7 | QTY_____ |
| 8 | SN-W-8 | QTY_____ |
| 9 | SN-W-9 | QTY_____ |



**415 Constance Drive • Warminster • PA • 18974 • 1-800-333-1443 • www.ecopoolfinish.com**

Subject to the Terms & Conditions of the current ecoFINISH® Price Book Catalogue effective June 1, 2018

aquaBRIGHT™ SMOOTH • DURABLE • ENDURING

polyFIBRO® high performance fiberglass coatings

**I.** ecoFINISH® LLC (EF) of Warminster, Pennsylvania, is the manufacturer of aquaBRIGHT™ & polyFIBRO® Products which are only sold by EF to Independent Dealer contractors. At the sole option of the issuing Dealer, EF offers this 10 Year Limited Warranty to the Dealer's Customer that aquaBRIGHT™ & polyFIBRO® Resurfacing Products for the herein described Project installations have been manufactured without defect. When these products are applied in accordance with EF's written installation procedures, surface deterioration will be limited as defined in the following Section II, and any defective materials will be replaced by EF as defined below for a period of up to ten years from the date of installation. Installation or labor expenses to repair or replace any defective products is solely the responsibility of the installing Dealer. This Limited Warranty is non-transferable and valid only to the customer named below.

**II.** This Limited Warranty includes the following:

A. Chemical Resistant- Will not significantly deteriorate due to exposure to appropriate swimming pool chemistry conditions, as detailed on www.ecopoolfinish.com/Support.
B. Chalk Resistant- Colors will not chalk.
C. This product will inhibit growth of mildew on the surface of the sealer film. (stain resistant does not mean stain proof)
D. Crack Resistant- Although surface cracks are treated with the best expertise available during the installation of aquaBRIGHT™ & polyFIBRO®, there is a possibility that new, or reoccurrences of cracks could occur from movement in the primary substrate itself.
E. Spall Resistant- This product chemically bonds to the surface and is resistant to spalling or delamination.
F. Stain-Resistant. Resists organic stains. (Stain resistant does not mean stain-proof)

**III.** This Limited Warranty does not cover failure caused by improper prepping of the surface, or cleaning of a surface which is not performed using aquaBRIGHT™ & polyFIBRO® ecoFINISH® approved methods as needed at the time of installation; defective substrates; wall structures that are not code-approved and constructed pursuant to all applicable code requirements for that wall structure; previous coatings which have lost adhesion; fire, hail (or other acts of God); vandalism or abuse and/or neglected by the Dealer's Customer; or, causes other than defects in the materials. This warranty does not cover deterioration, scratches, or wear caused by the user's post installation of equipment, fittings, furniture, or any other physical abuse of the finish.

**IV.** This Limited Warranty will apply only upon the condition that the following procedures have been strictly adhered to as evidenced by the certification of items indicated below by an EF Independent Dealer. Previously painted surfaces must have paint removed. All surfaces must be properly cleaned with aquaBRIGHT™ & polyFIBRO® approved methods. aquaBRIGHT™ & polyFIBRO® Products must be applied in accordance with EF's written installation procedures.

Name of Customer: _____ Project Address: _____

Customer Telephone: _____ Date Project Started: _____

Name of Dealer: _____

**V.** This Ten Year Limited Warranty shall be pro-rated as follows for replacement by EF of product with a proven Manufacturer's defect:

| | |
|---|---|
| Year One-Five: | EF will replace all product with a proven manufacturer's defect. |
| Year Six: | EF will replace product valued at 90% of Dealer's prevailing product cost. |
| Year Seven: | EF will replace product valued at 80% of Dealer's prevailing product cost. |
| Year Eight: | EF will replace product valued at 70% of Dealer's prevailing product cost. |
| Year Nine: | EF will replace product valued at 60% of Dealer's prevailing product cost. |
| Year Ten: | EF will replace product valued at 50% of Dealer's prevailing product cost. |

Dealer's customer shall be responsible for the difference between the EF product allowance above, and the Independent Dealer's retail product replacement once. All approved warranty claim products will be shipped F.O.B. from EF's corporate office address at 415 Constance Drive, Warminster, PA 18974.

**VI.** EF's Limited Warranty is for product replacement only and specifically excludes any installation or labor expenses. No Dealer or anyone else has authorization to modify this Warranty. All aquaBRIGHT™ Dealers are independently owned and operated, and all product installations are the sole responsibility of the independent Dealer; therefore, it is the responsibility of the Dealer's Customer to employ only competent installers in order that the products be properly installed. EF will not be responsible for accidental or consequential damage caused thereby.

**VII.** All claims under this Warranty must be accompanied by proof of purchase. Failure to strictly comply with the conditions contained in this Warranty will make this Limited Warranty null and void.

**VIII.** EF's HEREBY EXCLUDES ANY AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, AND THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

**NOTE: THIS LIMITED WARRANTY WILL APPLY ONLY IF THE FOLLOWING PROJECT INFORMATION, ALONG WITH THE DEALER'S CUSTOMER'S NAME, ADDRESS AND TELEPHONE NUMBER, ARE SUBMITTED IN WRITING TO EF BY THE INDEPENDENT DEALER AT THE TIME OF THE DEALER'S PROJECT MATERIAL ORDER FOR APPROVAL BY EF PRIOR TO THE PROJECT INCEPTION.**

**PROJECT INFORMATION**

**Area Surfaced:** _____ **Previous Surface Type:** _____

**Surface Color:** _____

ecoFINISH® HIGH PERFORMANCE COATINGS

# IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 – USA • 909-472-4100 • 909-472-4244 • www.iapmort.org


ISO/IEC 17065 Product Certification Body #0202

SCC Accredited CB-P/S OCPS Accrédité CCN

NSF/ANSI 61

# CERTIFICATE OF LISTING

**IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.**

The most updated information on this Certificate of Listing is available online at pld.iapmo.org

Effective Date: April 2018 Void After: April 2019

Product: Drinking Water System Components - Health Effects File No. N-10519

Issued To: Ecofinish, LLC
415 Constance Drive
Warminster, PA 18974

Identification: Each product shall be permanently and legibly marked with the manufacturer's name or trademark. The product may also be marked with the standard designation "NSF/ANSI 61".

Characteristics: Materials or products that come into contact with drinking water and/or drinking water treatment chemicals. Products and materials may include process media, protective materials, joining and sealing materials, pipes and related products, mechanical devices used with treatment/transmission/distribution systems, and mechanical plumbing devices. To be installed in accordance with the manufacturer's instruction. Lead free requirements are addressed under a separate certificate of listing.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following standard(s):

Chairman, Product Certification Committee

CEO, The IAPMO Group

IAPMO RESEARCH AND TESTING, INC. NON-PROFIT OCTOBER 25 1964 CORPORATION CALIFORNIA

**This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.**

# TERMS & CONDITIONS

**RETURNED CHECKS**
A NSF check will automatically place an account on C.O.D., certified funds status. Customer will be required to replace the bad check with certified funds and will be assessed a $25.00 NSF check charge.

**COLLECTION ACCOUNTS**
Accounts 90 days or NSF check accounts who have failed to make arrangements with the credit manager for payment of balances due will be referred to a collection agency or attorney in the area for implementation of any and all legal means available to effect repayment of the debt.

**FREIGHT POLICY**
All shipments are F.O.B. Warminster, PA.
All merchandise shipped by Common Carrier at Buyer's risk. Seller's responsibility ceases with receipt of bill of lading from Common Carrier. Seller will insure goods for full amount unless Buyer submits written request to Seller. SHIPMENT DAMAGE OR SHORTAGE CLAIMS MUST BE MADE WITH DELIVERING CARRIER IMMEDIATELY. Buyer must pay for replacement goods plus shipping for material damaged in transit before replacement goods can be shipped.

**SHIPMENT VARIANCES**
You have 48 hours to contact Customer Service on any missing or incorrect product. No exception!

All of our merchandise goes through rigorous quality control inspections. In the event that a product is found to be defective, you must contact ecoFINISH® to obtain an RMA (Return Merchandise Authorization) number. DO NOT ship item(s) to be replaced or credited without an RMA number or your return will not be processed. Please contact Mike Monti @ 800-333-1443 to obtain an RMA number. Customer Service will need a fax number or e-mail address in order to provide the appropriate RMA documentation for all returns.

**RETURNS**
Only products in unopened and undamaged packaging suitable for resale will be accepted for returns. All returns are subject to a 20% re-stock charge. An RMA number MUST be obtained from ecoFINISH before goods may be returned. Please contact Mike Monti @ 800-333-1443 to obtain an RMA number. Freight on ALL returns must be prepaid. A tracking number is required as proof of delivery. C.O.D. shipments will be refused. All approved returns will be refunded in the form of an account credit.

**Note:** Subject to change without notice.