



# Product Catalogue

(January 1, 2021)



[www.ecofinishcoatings.com](http://www.ecofinishcoatings.com)

**Disclaimer:**

All prices are subject to change without notice. This document is strictly private, confidential and personal to its recipients and should not be copied, distributed or reproduced in whole or in part, nor passed to any third party.

PC0121

# Table of Contents

What We’re About..... 1

Aquatic Coatings..... 2

aquaBRIGHT™ ..... 3

polyFIBRO® ..... 4

Commercial Colors..... 5

Beach Entry Coatings.....6

ecoFX™ Stencils..... 7

ecoFX™ Numeric Stencils..... 8

ecoFX™ Verbiage Stencils..... 9

Silicone Tapes & Fabric..... 10

Surface Preparation..... 11

X40 & X40C Epoxy Primer..... 12

X40-200 Epoxy Primer & Primer Accessories..... 13, 14

Accessories..... 14

BIO-DEX Installation Preparation.....15

Installation Equipment..... 16, 17

Installation Equipment Accessories..... 18

Preferred Sequestering Agents..... 19

Shade Shelter™ ..... 20

Shade Shelter™ Dome Tents..... 21

Shade Shelter™ Dome Tent Combos..... 22

Shade Shelter™ Air Blowers and Water Ballasts..... 23

ecoDUSTRIAL™ ..... 24

ecoDUSTRIAL™ Traditional Coatings..... 25

ecoDUSTRIAL™ Non-Skid Coatings..... 26

ecoDUSTRIAL™ with BioCote® ..... 27

ecoDUSTRIAL™ Stencils..... 28

PolyTECT™ .....29, 30

Aquatic Coating Samples.....31

Marketing Literature..... 32, 33

Terms & Conditions..... 34

aquaBRIGHT™ and polyFIBRO® Residential Warranty..... 35

aquaBRIGHT™ and polyFIBRO® Commercial Warranty..... 36

NSF/ANSI 61 Certification..... 37

ecoFINISH® Express Order Forms.....38-40

ecoFX™ Express Order Form - Verbiage Stencils..... 41

ecoFX™ Express Order Form - Inches, Feet, and Meters Stencils..... 42

ecoFX™ Express Order Form - Decimal Numbers and Whole Numbers Stencils..... 43

ecoDUSTRIAL™ Express Order Forms.....44-46

Shipping Index.....47, 48

## WHAT WE'RE ABOUT...



**aquaBRIGHT™**  
SMOOTH • DURABLE • ENDURING



**polyFIBRO®**  
high performance coatings for fiberglass pools



**ecoDUSTRIAL™**  
PROVEN INDUSTRIAL COATINGS



**OPTUS**  
RESIN TECHNOLOGY



**aquaticLIFE™**  
COATINGS FOR LIFE



**ecOCULTURE COATINGS**  
For Cultivation, Processing, and Packaging

ecoFINISH® High Performance Coatings has led the world as the first and fastest-growing manufacturer of flame sprayed polymer coatings for industrial and pool use.

Looking to provide a solution for problems often found with traditional pool finishes, we developed polymer powders to be used for flame spray industries using our patented process for installing our coatings on concrete and fiberglass. This was the beginning of our aquaBRIGHT™ and polyFIBRO® swimming pool coatings. aquaBRIGHT™ and polyFIBRO® were made to withstand the abuse of underwater conditions, and we found this innovative application could be adapted to steel, aluminum, and multiple additional substrates.

As many of our powders are certified and comply with NSF/ANSI 61 Drinking Water System Components, this has allowed us to expand our coatings to zoos, aquariums, and fish farms industries with our aquaticLIFE™ and ecoCULTURE™ product lines, with our ecoDUSTRIAL™ coatings focusing on corrosion control of concrete and steel.

Now we are excited to introduce our sister company, Optus Resin Technology, which manufactures liquid resin systems based on epoxy, polyurethane, and polyurea products for industrial, marine, architectural, engineering and transport markets. Optus Resin Technology carries a robust line of the garage floor, anti-skid, decorative landscape, and warehouse coatings.

With over 250 installers in 60 countries, ecoFINISH® continues to expand around the world, including the United States, Canada, the United Kingdom, France, Portugal, Belgium, Italy, Iceland, Poland, the Netherlands, Bosnia, Morocco, Greece, Australia, Germany, New Zealand, Ukraine, Thailand, Bonaire, US Virgin Islands, Spain, and we continue to expand.



## AQUATIC COATINGS



**aquaBRIGHT**<sup>™</sup>  
SMOOTH • DURABLE • ENDURING



**polyFIBRO**<sup>®</sup>  
high performance coatings for fiberglass pools



## Commercial Coatings

aquaBRIGHT<sup>™</sup>, polyFIBRO<sup>®</sup>, and aquaticLIFE<sup>™</sup> are pneumatically applied high performance coatings that captures the strength, durability, and maintenance ease of old school swimming pool finishes while maintaining the beauty and architectural range of aggregate finishes. aquaBRIGHT<sup>™</sup>, polyFIBRO<sup>®</sup>, and aquaticLIFE<sup>™</sup> are eco-friendly, stain and crack resistant, and will outlast traditional paint and plaster finishes for years to come. Used for a commercial or a residential pool, both lines are excellent finishes for both new pools and renovations.

Our Commercial Coatings are perfect for any institutional or aquatic feature. Our Commercial Coatings are NSF/ANSI Certified and hold to the same high standard as aquaBRIGHT<sup>™</sup>, polyFIBRO<sup>®</sup>, and aquaticLIFE<sup>™</sup>.

## SERIES 3 POWDER COLORS




**Blue Granite**  
AB3-BG




**Blue Mist**  
AB3-BM



**Blue Lagoon**  
AB3-BL



**Mediterranean Blue**  
AB3-MB



**Midnight Blue**  
AB3-MD




**Kona Coast**  
AB3-KC




**Sahara Sand**  
AB3-SS



**Grey Reef**  
AB3-GR



**French Grey**  
AB3-FG



**Perle Noire**  
AB3-PN



This color has been blended entirely using materials that have been tested to comply with NSF/ANSI 61 Potable Water Standards.

**Powder is sold in 40 LB Boxes.**

1-20 Powder Boxes (40-800 lbs)

21-41 Powder Boxes (840-1640 lbs)

42+ Powder Boxes (1680 lbs+)

Discounts offered for half pallet and full pallet quantities.

Samples displayed are a representation of the actual manufacturer's color.

Colors may vary slightly from those shown. Ask your Sales Representative for actual color samples before purchasing.

## SERIES 3 POWDER COLORS




**Santorini**  
PF3-SN



**Ice Ice Bay Bay**  
PF3-II



**Pacific Blue**  
PF3-PB




**Barbuda**  
PF3-BB




**Giallo Versilia**  
PF3-GV




**Sandy Beach**  
PF3-SB



**Cabo Verde**  
PF3-CV



**Marrakesh**  
PF3-MK



**Black Absinthe**  
PF3-BA



This color has been blended entirely using materials that have been tested to comply with NSF/ANSI 61 Potable Water Standards.

**Powder is sold in 40 LB Boxes.**

1-20 Powder Boxes (40-800 lbs)

21-41 Powder Boxes (840-1640 lbs)

42+ Powder Boxes (1680 lbs+)

Discounts offered for half pallet and full pallet quantities.

Samples displayed are a representation of the actual manufacturer's color.

Colors may vary slightly from those shown. Ask your Sales Representative for actual color samples before purchasing.


# COMMERCIAL COATINGS

for commercial pools



**California White**  
CM3-CW

85% White  
15% ivory



**Commercial White**  
CM3-WH

100% White



This color has been blended entirely using materials that have been tested to comply with NSF/ANSI 61 Potable Water Standards.



**(Complies with NSF/ANSI 61)**

**Powder is sold in 40 LB Boxes.**

1-20 Powder Boxes (40-800 lbs)

21-41 Powder Boxes (840-1640 lbs)

42+ Powder Boxes (1680 lbs+)

Discounts offered for half pallet and full pallet quantities.

**Please contact your sales representative for pricing on custom colors.**

Samples displayed are a representation of the actual manufacturer's color.

Colors may vary slightly from those shown. Ask your Sales Representative for actual color samples before purchasing.




# BEACH ENTRY COATINGS

## for Aquatic Features



**Blue Mist**  
BEM-BM




**Ice Ice Bay Bay**  
BEM-II



**Blue Lagoon**  
BEM-BL



**Pacific Blue**  
BEM-PB



**California White**  
BEM-CW



**Kona Coast**  
BEM-KC



**Grey Reef**  
BEM-GR



**Sahara Sand**  
BEM-SS



**Sandy Beach**  
BEM-SB

**Powder is sold in 40 LB Boxes.**

1-20 Powder Boxes (40-800 lbs)

21-41 Powder Boxes (840-1640 lbs)

42+ Powder Boxes (1680 lbs+)


Discounts offered for half pallet and full pallet quantities.

***\*Beach Entry coating material is meant for the 2nd and 3rd coats ONLY. When flocking, the installer should use the conventional matching coating. Please reach out to your ecoFINISH® representative for inquiries.***

Samples displayed are a representation of the actual manufacturer's color.

Colors may vary slightly from those shown. Ask your Sales Representative for actual color samples before purchasing.

## STENCILS



ecoFX™ stencils offer a full line of pool and depth markers in a variety of sizes to improve pool and spa safety and can be used easily with any of our Aquatic Coatings. With ecoFX™, custom stencils can also be created so that you can easily incorporate your logos, custom designs, decorative borders, and more right on the surface of the substrate. Custom made stencils provide the ability to add personalization and uniqueness to any new pool or renovation.



## NUMERIC STENCILS

Numbers With Small IN 6"x 6" Stencils	
0 <sup>IN</sup>	SN-W-0-IN
1 <sup>IN</sup>	SN-W-1-IN
2 <sup>IN</sup>	SN-W-2-IN
3 <sup>IN</sup>	SN-W-3-IN
4 <sup>IN</sup>	SN-W-4-IN
5 <sup>IN</sup>	SN-W-5-IN
6 <sup>IN</sup>	SN-W-6-IN
7 <sup>IN</sup>	SN-W-7-IN
8 <sup>IN</sup>	SN-W-8-IN
9 <sup>IN</sup>	SN-W-9-IN
10 <sup>IN</sup>	SN-W-10-IN
11 <sup>IN</sup>	SN-W-11-IN
12 <sup>IN</sup>	SN-W-12-IN
14 <sup>IN</sup>	SN-W-14-IN
16 <sup>IN</sup>	SN-W-16-IN
17 <sup>IN</sup>	SN-W-17-IN
18 <sup>IN</sup>	SN-W-18-IN

Numbers With Small FT 6"x 6" Stencils	
0 <sup>FT</sup>	SN-W-0-FT
1½ <sup>FT</sup>	SN-H-0-FT
1 <sup>FT</sup>	SN-W-1-FT
1 ½ <sup>FT</sup>	SN-H-1-FT
2 <sup>FT</sup>	SN-W-2-FT
2 ½ <sup>FT</sup>	SN-H-2-FT
3 <sup>FT</sup>	SN-W-3-FT
3 ½ <sup>FT</sup>	SN-H-3-FT
4 <sup>FT</sup>	SN-W-4-FT
4 ½ <sup>FT</sup>	SN-H-4-FT
5 <sup>FT</sup>	SN-W-5-FT
5 ½ <sup>FT</sup>	SN-H-5-FT
6 <sup>FT</sup>	SN-W-6-FT
6 ½ <sup>FT</sup>	SN-H-6-FT
7 <sup>FT</sup>	SN-W-7-FT
7 ½ <sup>FT</sup>	SN-H-7-FT
8 <sup>FT</sup>	SN-W-8-FT
8 ½ <sup>FT</sup>	SN-H-8-FT
9 <sup>FT</sup>	SN-W-9-FT
9 ½ <sup>FT</sup>	SN-H-9-FT
10 <sup>FT</sup>	SN-W-10-FT
11 <sup>FT</sup>	SN-W-11-FT
12 <sup>FT</sup>	SN-W-12-FT















Numbers With Small m 6"x 6" Stencils	
0 <sup>m</sup>	SN-0-m
0.3 <sup>m</sup>	SN-0.3-m
0.5 <sup>m</sup>	SN-0.5-m
0.6 <sup>m</sup>	SN-0.6-m
0.8 <sup>m</sup>	SN-0.8-m
0.9 <sup>m</sup>	SN-0.9-m
1.1 <sup>m</sup>	SN-1.1-m
1.2 <sup>m</sup>	SN-1.2-m
1.4 <sup>m</sup>	SN-1.4-m
1.5 <sup>m</sup>	SN-1.5-m
1.7 <sup>m</sup>	SN-1.7-m
1.8 <sup>m</sup>	SN-1.8-m
2.0 <sup>m</sup>	SN-2.0-m
2.1 <sup>m</sup>	SN-2.1-m
2.3 <sup>m</sup>	SN-2.3-m
2.4 <sup>m</sup>	SN-2.4-m
2.6 <sup>m</sup>	SN-2.6-m
2.7 <sup>m</sup>	SN-2.7-m
2.9 <sup>m</sup>	SN-2.9-m
3.0 <sup>m</sup>	SN-3.0-m
3.4 <sup>m</sup>	SN-3.4-m
3.6 <sup>m</sup>	SN-3.6-m
3.7 <sup>m</sup>	SN-3.7-m








Decimal Numbers 6"x 6" Stencils	
0.3	SN-0.3
0.5	SN-0.5
0.6	SN-0.6
0.8	SN-0.8
0.9	SN-0.9
1.1	SN-1.1
1.2	SN-1.2
1.4	SN-1.4
1.5	SN-1.5
1.7	SN-1.7
1.8	SN-1.8
2.0	SN-2.0
2.1	SN-2.1
2.3	SN-2.3
2.4	SN-2.4
2.6	SN-2.6
2.7	SN-2.7
2.9	SN-2.9
3.0	SN-3.0
3.4	SN-3.4
3.6	SN-3.6
3.7	SN-3.7



















Whole Numbers 6"x 6" Stencils	
0	SN-W-0
1	SN-W-1
2	SN-W-2
3	SN-W-3
4	SN-W-4
5	SN-W-5
6	SN-W-6
7	SN-W-7
8	SN-W-8
9	SN-W-9
10	SN-W-10
11	SN-W-11
12	SN-W-12
14	SN-W-14
16	SN-W-16
17	SN-W-17
18	SN-W-18
20	SN-W-20
22	SN-W-22
24	SN-W-24




## VERBIAGE STENCILS



















6" x 6" Verbiage Markers	
	SV-6-FT
	SV-6-FT.
	SV-6-FEET
	SV-6-FD
	SV-6-IN
	SV-6-IN.
	SV-6-INCHES
	SV-6-ID
	SV-6-m
	SV-6-m.
	SV-6-METERS
	SV-6-MD
	SV-6-DEEP
	SV-6-DEPTH

6" x 12" Verbiage Markers	
	SV-12-FT
	SV-12-FD
	SV-12-IN
	SV-12-ID
	SV-12-MT
	SV-12-MD
	SV-12-DE

6" x 6" Other Verbiage Markers	
	SV-6-AT
	SV-6-CENTER
	SV-6-DRAIN
	SV-6-EDGE
	SV-6-END
	SV-6-ENTRY
	SV-6-NO
	SV-6-NS
	SV-6-ND
	SV-6-OR
	SV-6-POOL
	SV-6-RAMP
	SV-6-SEAT
	SV-6-SHELF
	SV-6-STEPS
	SV-6-TO
	SV-6-WALL
	SS-6-ND

6" x 24" Verbiage Markers	
	SV-24-ND

6" x 48" Verbiage Markers	
	SV-48-ND

6" x 12" Other Verbiage Markers	
	SV-12-CA
	SV-12-CE
	SV-12-DR
	SV-12-EN
	SV-12-KO
	SV-12-LG
	SV-12-NC
	SV-12-ND
	SV-12-NE
	SV-12-NJ
	SV-12-NR
	SV-12-NS
	SV-12-SHA
	SV-12-SHE
	SV-12-VA
	SV-12-WA
	SV-12-ZD
	SV-6-ZE

# SILICONE TAPES & FABRIC

## Silicone Tapes



### Silicone Tape 1" x 36yds

1" Silicone Tape is ideal for masking off tile trim on benches and steps.

5 Rolls	(item # HT-1x36-5)
40 Rolls	(item # HT-1x36-CA)



### Silicone Tape 2" x 36yds

2" Silicone Tape is best used for securing ecoFINISH's reusable fabric to a swimming pool's perimeter tile.

5 Rolls	(item # HT-2x36-5)
20 Rolls	(item # HT-2x36-CA)



### Silicone Tape 4" x 36yds

4" Silicone Tape is best used for securing ecoFINISH's reusable fabric to a swimming pool's perimeter tile.

1 Roll	(item # HT-4x36)
8 Rolls	(item # HT-4x36-CA)



### Silicone Fabric

Silicone Fabrics are used in conjunction with the silicone tape to mask larger areas to protect prior to the thermal spray application.

1 Roll	(item # FAB-9x20)
4 Rolls	(item # FAB-9x20-CA)

# SURFACE PREPARATION



## 4.5" & 7" Semi-Flex Concrete Sanding Discs

5 Disks

16 Grit	(item # SD-4.5-16-5)
36 Grit	(item # SD-4.5-36-5)
60 Grit	(item # SD-4.5-60-5)
16 Grit	(item # SD-7-16-5)
36 Grit	(item # SD-7-36-5)
60 Grit	(item # SD-7-60-5)

25 Disks

16 Grit	(item # SD-4.5-16-CA)
36 Grit	(item # SD-4.5-36-CA)
60 Grit	(item # SD-4.5-60-CA)
16 Grit	(item # SD-7-16-CA)
36 Grit	(item # SD-7-36-CA)
60 Grit	(item # SD-7-60-CA)




## 4.5" & 7" Reusable Backing Pads

4.5" Reusable Backing Pad	(item # BP-4.5-1)
7" Reusable Backing Pad	(item # BP-7-1)



## 4.5" & 7" Diamabrush Removal Tool

4.5" Diamabrush Removal Tool	(item # DB-4.5-RT)
7" Diamabrush Removal Tool	(item # DB-7-RT)



## 4.5" & 7" Diamabrush Replacement Blades

4.5" Diamabrush Replacement Blades	(item # DB-4.5-RB)
7" Diamabrush Replacement Blades	(item # DB-7-RB)



## 4.5" & 7" Diamabrush Removal Tool Dust Shroud

4.5" Diamabrush Removal Tool Dust Shroud	(item # DB-4.5-DS)
7" Diamabrush Removal Tool Dust Shroud	(item # DB-7-DS)



## EPOXY PRIMER



Due to packaging requirements, Pack A is divided into smaller packs. The mixing ratio for the epoxy is (2) Pack A's per (1) Pack B.

### X40 PRIMER

X40 Primer is a two component, solvent free, low odor moisture tolerant epoxy primer. Once cured, it creates a new surface damp proof primer enabling early access onto the substrates for coatings, screeds, and self levelers. With its excellent adhesion properties and back pressure results, it can also be applied in wet conditions and, in extreme measures, underwater.

1 Kit	(item # X40)
3 Kit	(item # X40-3)
5 Kit	(item # X40-5)
100 Kit	(item # X40-Pallet)



Due to packaging requirements, Pack A is divided into smaller packs. The mixing ratio for the epoxy is (2) Pack A's per (1) Pack B.

### Cool Weather X40C Primer

Designed to be used with concrete and other similar finishes, this epoxy primer is a two-component, solvent free epoxy primer resin designed specifically for applications as low as 40°F for use during cooler weather.

Cool weather epoxy primer can be used as a Rapid-Set primer in warm weather. For further information on this product, please contact your trainer.

1 Kit	(item # X40C)
3 Kit	(item # X40C-3)
5 Kit	(item # X40C-5)
100 Kit	(item # X40C-Pallet)



### Rapid Set Primer X40C Minis

This kit contains 3 Kits of Rapid Set X40C Bond Coat, 0.75kg ea.

3 Kit Rapid Set Primer X40C Minis	(item # X40C-Mini-3Pack)
-----------------------------------	--------------------------



### X40-200 High Build Epoxy -Trowel Grade

X40-200 HBT is a high solids, two component, low odour and solvent free elastomeric urethane epoxy.



It combines the durability of epoxies with the flexibility of a polyurethane. It is designed to be used as a flexible, crack bridging membrane, or joint filler where substrate movement is evident or is anticipated or maybe subject to vibration. X40-200 HBT is also used as waterproofing membrane and coating exhibiting good resistance to acids, alkalis, and most solvents.

1 Kit	(item # X40-200-HBT)
2 Kit	(item # X40-200-HBT2)
4 Kit	(item # X40-200-HBT4)



### X40-200 Fiberglass Mesh

12.5"x 150' Mesh	(item # MESH-12.5x150)
48"x 150' Mesh	(item # MESH-48x150)



### X40 Additive Pack Flood Coat

120g of X40 Additive Pack Flood Coat

X40 Additive Pack Flood Coat	(item # X40-FC-5Pak)
------------------------------	----------------------

## PRIMER ACCESSORIES



### 5 Gallon Polypro Epoxy Mixer

This solid core, galvanized steel polypro mixer allows epoxy to be mixed smoothly, minimizing air pockets. Can be used in a 5-gallon container with any electric drill.

5 Gallon Polypro Epoxy Mixer	(item # ESM-5GAL)
------------------------------	-------------------



### Spiked Shoes

The spiked shoes allow you to walk on wet epoxy without damaging the coating. Can be worn with work boots or sneakers. Spiked shoe snaps on.

Shipped From USA

Medium	Size 9 and under	(item # SPK-MD)
Large	Size 9 – 11	(item # SPK-LG)
X-Large	Size 11 +	(item # SPK-XL)

# ACCESSORIES



## Red Pigment for X40/X40C Epoxy Primer

Pigment Packs for use with 100% mixtures of X40 and X40C epoxy primer.

### DO NOT USE WITH 50/50 MIXTURE.

(1) 1 lb tub with scoop	(item # X40-PP-BULK)
(8) 1 lb tub with scoop	(item # X40-PP-BULK-CA)



## USB Spark Ignitor

Chargeable USB Spark Ignitor

1 Spark Ignitor	(item # ARC-V1)
5 Spark Ignitors	(item # ARC-V1-CA)



## Fiberglass Mat Wall Anchors

100 Fiberglass Mat Wall Anchors

Fiberglass Mat Wall Anchors	(item # FM Anchors)
-----------------------------	---------------------



## Silicone Return Plug

1" to 2" Silicone Reusable Expansion Return Plugs

3 Pack of 1"-2" Plugs	(item # SRP-2 3PAK)
-----------------------	---------------------



## Large Silicone Return Plug

1 3/4 x 2 3/4 Large Silicone Reusable Expansion Return Plugs

2 Packs of 1.75" x 2.75" Plugs	(item # SRP-3 2PAK)
--------------------------------	---------------------



## Silicone Aerosol Spray

(to be used with the silicone plugs)

- Heavy duty silicone (release agent)
- Colorless, odorless, non-staining, non-corrosive
- Helps avoid over spray build-up

10wt oz (283g) Silicone Aerosol	(item # Silicone Spray)
---------------------------------	-------------------------



# INSTALLATION PREPARATION



## Plaster White 'n Brite Features:

- Corrosion inhibitor for added protection
- Thickens the acid for a more thorough cleaning
- Helps acid adhere to the floor, walls and steps
- Bio-degradable formula
- Removes metal stains and calcium deposits with ease



## BIO-DEX PLASTER WHITE 'N BRITE

White 'n Brite is a acid washing additive that thickens your acid solution to allow it to stick to the pool floor, walls, steps and other obstacles for a more thorough cleaning. The formula will help the acid remove copper and other metal stains, calcium deposits, dirt, grease oil and other stains from your pool surface.

White 'n Brite also helps eliminate acid fumes, has a corrosion inhibitor and also helps to prevent etching of the pool plaster while treating your pool with an acid wash.

(1) 32 oz bottles	(item # BioDex-1 Quart)
(12) 32 oz bottles	(item # BioDex-CA)



# INSTALLATION EQUIPMENT FOR EXISTING INSTALLERS ONLY

## IBIX: Vortex Applicator Unit (Black)

The Pool Coater the Pros use...

The High Output Vortex System allows installers to apply the finishes at a faster pace. A typical crew can easily install at a high output rate of 300-400 square feet per hour. A standard average size pool can be coated within a day.

*(Training not included.)*

IBIX: Vortex Gun (Black)	(item # IBIX-BLK)
--------------------------	-------------------



## IBIX: High Tech Applicator Unit (Green)

Newly offered in 2021.

Please see your representative for details.

*(Training not included.)*

IBIX: High Tech Applicator Gun (Green)	(item # IBIX-GRN)
--	-------------------



## Proton Pack (backpack gun)

The ecoFINISH® Proton Pack is an easy to carry, lightweight option when it comes to completing your coating for small projects in awkward or out of reach areas. The Proton Pack is perfect for mobile applications where larger equipment has little to no accessibility and is suitable to be used with all aquaBRIGHT™, polyFIBRO®, and ecoDUSTRIAL™ coatings.

*(Training not included.)*

Proton Pack	(item # IBIX-PROTON PACK)
-------------	---------------------------



# INSTALLATION EQUIPMENT



## Pro Dryer nm

- Up to 99% removal of bulk water
- Unique inner fin design: Ensures excellent liquid removal even at low flow velocities
- Inner shield design: Prevents re-entry of separated water
- Tested in accordance with ISO 12500-4
- Particle removal: Down to 1 micron
- Maximum oil content: ISO class 2
- Max oil carry over at 68°F: 0.1 ppm
- 1 year average life span of filter element
- Exceeds the ISO 8573-1 standards for compressed air purity

*(Training not included.)*

Pro Dryer nm	(item # Pro Dryer nm)
--------------	-----------------------



## Turnkey Kit

1. (2) 100' Propane Lines
2. (1) Propane Coupler
3. (4) 50' Air Hoses with Universal Connectors
4. (1) USB Torch Lighter

5. (1) Oil/Water Separator
6. (1) Propane Torch
7. (1) Squirrel Mixer
8. (1) Pair of Spiked Shoes

Turnkey Kit	(item # Turnkey Kit)
-------------	----------------------

# INSTALLATION EQUIPMENT

## ACCESSORIES



### ecoDUSTRIAL™ Hobby Gun

This Hobby Gun is created for the use of all of the ecoDUSTRIAL powders for small field installations. Small propane tank required for use.

ecoDUSTRIAL™ Hobby Coater	(item # IBIX-HOBBY)
---------------------------	---------------------



### Detail Gun for Vortex/Standard Gun

This detailed concentrated spray pattern allows for the easy install of stencils, freehanded detailing, and irregular areas.

Detail Gun for Pro/Standard Unit	(item # IBIX-DETAIL)
----------------------------------	----------------------



### Standard Gun for Vortex Applicator Gun

**(Down-Grade Kit)** Allows you to run the Vortex Applicator (Black Unit) as a Standard Unit with the smaller spray pattern and less heat.

Standard Gun for Pro Unit (Down-Grade Kit)	(item # IBIX-BLK-140)
--	-----------------------



### Pro Gun

Replacement Gun for Vortex Applicator (Black Unit)

Pro Gun	(item # PRO GUN)
---------	------------------



### High Tech Applicator Gun

Replacement Gun for High Tech Applicator (Green Unit)

High Tech Applicator Gun	(item # HTA GUN)
--------------------------	------------------

*\*For equipment parts, please refer to the ecoFINISH® Price Sheet.*

# PREFERRED SEQUESTERING AGENTS



## Startup-Tec® PK 3-Day Startup Treatment

Treatment for the prevention of plaster dust, staining and mottling. To be added when pool is being filled to prevent staining and mottling.

(8) 64 oz bottles	(item # Startup-CA-64oz)
-------------------	--------------------------



## Beautec® Superior Scale-Stain Controller

Superior scale and stain controller, and continuous pool surface, tile and equipment cleaner. Non-acid, non-phosphate multi-sequestrant controls all minerals. To be added to the pool monthly to help prevent scaling and staining.

(8) 64 oz bottles	(item # Beautec-CA-64oz)
-------------------	--------------------------



## Scaletec Plus® Surface Descaler Stain Remover Treatment


Superior scale and stain controller, and continuous pool surface, tile and equipment cleaner. Non-acid, non-phosphate multi-sequestrant controls all minerals. To be added to the pool monthly to help prevent scaling and staining.

(8) 64 oz bottles	(item # Scaletec-CA-64oz)
-------------------	---------------------------





The ecoFINISH® Shade Shelter™ is a versatile, quick deployment, and easy setup tent made to protect aquaBRIGHT™ and polyFIBRO® applicators from the adverse spray conditions of wind and the heat from the sun. It's stackable 25' x 10' and 25' x 20' sections with quick coupler design allows for easy custom configurations to meet the needs of each specific site (20' wide swimming pools max). The mesh roof allows for maximum ventilation while minimizing the sun's rays and gusts from the wind. The 20" tarpaulin water ballast drain as easy as they fill and come with a mesh bag to help deter mildew.



**25' x 10' Dome Tent**

The smallest (10') ecoFINISH® Shade Shelter™ is very versatile and has the capability to be used independently for covering up sections of the pool while spraying. Don't be fooled by it's small size. This Dome Tent has the ability to be used to cover small pools or sections of larger pools.

### 25' x 10' Dome Tent

(1) Dome Tent	(item # SS-DT-25106)
(1) 950W Blower	(item # SS-BL-US-950)
(1) 4 Kit Water Ballast	(item # SS-WB-4)

*(Air Blowers and Water Ballasts are SOLD SEPARATELY)*



**25' x 20' Dome Tent**

The largest (20') ecoFINISH® Shade Shelter™ will do everything his little brother does and more. This Dome Tent will just about cover a small pool entirely. This particular tent is best used if you are continuously working on larger pools.

### 25' x 20' Dome Tent


(1) Dome Tent	(item # SS-DT-25206)
(1) 1500W Blower	(item # SS-BL-US-1500)
(1) 6 Kit Water Ballast	(item # SS-WB-6)

*(Air Blowers and Water Ballasts are SOLD SEPARATELY)*

# DOMESTENT COMBOS



Yes, ladies and gentlemen, the Shade Shelter™ Dome Tents connect. We made sure to keep everything versatile for easier use. You will have the ability to cover most pools by using any combination of the large and small Dome Tents. Take a look below at some of the different combinations possible. Each individual Dome Tent has the ability to be used over small pools or sections of larger pools. It is also very lightweight, so there's no hassle when it comes to moving it from pool section to pool section.




**30' Tent Combo**

## 30' Dome Tent Combo

(1) 25' x 10' Dome Tent	(item # SS-DT-25106)
(1) 25' x 20' Dome Tent	(item # SS-DT-25206)
(2) 1500W Blower	(item # SS-BL-US-1500)
(1) 4 Kit Water Ballast	(item # SS-WB-4)
(1) 6 Kit Water Ballast	(item # SS-WB-6)

*\*Suggested Water Ballast: (1)6 Kit & (1)4 Kit*

*(Air Blowers and Water Ballasts are SOLD SEPARATELY)*




**40' Tent Combo**

## 40' Dome Tent Combo

(2) 25' x 20' Dome Tent	(item # SS-DT-25206)
(2) 1500W Blower	(item # SS-BL-US-1500)
(2) 6 Kit Water Ballast	(item # SS-WB-6)

*\*Suggested Water Ballast: (1)6 Kit & (1)4 Kit*

*(Air Blowers and Water Ballasts are SOLD SEPARATELY)*



**50' Tent Combo**

## 50' Dome Tent Combo

(1) 25' x 10' Dome Tent	(item # SS-DT-25106)
(2) 25' x 20' Dome Tent	(item # SS-DT-25206)
(2) 1500W Blower	(item # SS-BL-US-1500)
(1) 4 Kit Water Ballast	(item # SS-WB-4)
(2) 6 Kit Water Ballast	(item # SS-WB-6)

*\*Suggested Water Ballast: (1)6 Kit & (1)4 Kit*

*(Air Blowers and Water Ballasts are SOLD SEPARATELY)*





**Water Ballast**

The Water Ballasts are designed to weigh down the Dome Tents for stability. The Water Ballast come in handy especially on those windy days. We strongly suggest using these to anchor your Dome Tent and protect it from lifting caused by strong wind gusts.

#### **Water Ballast**

4 Kit Water Ballast	(item # SS-WB-4)
6 Kit Water Ballast	(item # SS-WB-6)



**UL Certified Blower**

The UL Certified Blower is designed to inflate and stabilize the Dome Tents. The 950W Blower is suggested for the 10' Dome Tent. The 1500W Blower is suggested for the 20' Dome Tent and any Dome Tent Combo.

*(The number of blowers needed depends on the amount of Dome Tents desired for use).*

#### **UL Certified Blowers**

##### **American Fittings**

950W Blower	(item # SS-BL-US-950)
1500W Blower	(item # SS-BL-US-1500)

##### **European Fittings**

950W Blower	(item # SS-BL-EU-950)
1500W Blower	(item # SS-BL-EU-1500)



**Non-Skid Coating**




**Traditional Coating**

ecoFINISH® ecoDUSTRIAL™ Coatings are different than all other paints and finishes currently in use for construction and industrial applications. ecoDUSTRIAL™ Coatings are thermoplastic polymer powder coating finishes applied utilizing our thermal flame spray application process. The installation process is completely portable, so the finish can be applied at any location and on virtually any surface to create a beautiful protective barrier that will last for many years.


ecoDUSTRIAL™ Coatings are non-porous, pH neutral, and will stand up to harsh weather and UV exposure. These extremely durable finishes are resistant to chipping, peeling, chalking, and cracking, and they retain some of its flexibility even at low temperatures. ecoDUSTRIAL™ finishes cure in seconds, not days or weeks, as with other industrial coatings. The finish is suitable for wet or dry locations, and can be applied on concrete, fiberglass, and metal surfaces at installation speeds up to 800 square feet per hour.




**ED3-010 WHITE**




**ED3-011 BLACK**




**ED3-012 LIGHT BLUE**




**ED3-013 DARK BLUE**




**ED3-014 LIGHT GREY**




**ED3-015 IVORY**




**ED3-021 DARK GREY**




**ED3-024 YELLOW**




**ED3-025 AUSSIE BLUE**




**ED3-031 GREEN**




**ED3-032 BLUE NILE**




**ED3-034 BROWN**



**ED3-035 ROYAL BLUE**




**ED3-036 CALIFORNIA BLUE**



**ED3-037 BRIGHT YELLOW**




**ED3-038 BRIGHT ORANGE**



**ED3-043 PINK**

Complies with NSF/ANSI 61  
(The NSF/ANSI 61 standard applies to Traditional Coatings only).


Powder is sold in 5lbs, 10lbs, and 40lbs. box sizes.



complies with NSF/ANSI 61

Samples displayed are a representation of the actual manufacturer's color.  
Colors may vary slightly from those shown. Ask your Sales Representative for actual color samples before purchasing.

# NON-SKID COATINGS



ED3-010-NS WHITE




ED3-011-NS BLACK



ED3-012-NS LIGHT BLUE




ED3-013-NS DARK BLUE




ED3-014-NS LIGHT GREY




ED3-015-NS IVORY




ED3-021-NS DARK GREY




ED3-024-NS YELLOW




ED3-025-NS AUSSIE BLUE



ED3-031-NS GREEN



ED3-032-NS BLUE NILE




ED3-034-NS BROWN




ED3-035-NS ROYAL BLUE




ED3-036-NS CALIFORNIA BLUE



ED3-037-NS BRIGHT YELLOW



ED3-038-NS BRIGHT ORANGE



ED3-043-NS PINK

Powder is sold in 5lbs, 10lbs, and 40lbs. box sizes.

Samples displayed are a representation of the actual manufacturer's color.  
Colors may vary slightly from those shown. Ask your Sales Representative for actual color samples before purchasing.



## ecoDUSTRIAL™ with BioCote®



**Food Processing Plant**




**Chemical Lab**

We now offer our ecoDUSTRIAL™ Coatings with BioCote®. This antimicrobial additive can resist and help prevent the growth of microbes including bacteria and mold. With the BioCote® antimicrobial added to ecoDUSTRIAL™ Coatings, microbial colonization is minimized, making the devices easier to keep hygienically clean, reducing unpleasant odors, and the risk of infection caused by cross-contamination.

With the antimicrobial added, ecoDUSTRIAL™ is an ideal coating for food processing plants, chemical labs, schools, water treatment plants, and more.



**BioCote®**  
(white powder with antimicrobial additive)  
**Bio White**



**BioCote®**  
(grey powder with antimicrobial additive)  
**Bio Grey**



**BioCote®**  
(blended powder with antimicrobial additive)  
**Blend 1**

Powder is sold in 5lbs, 10lbs, and 40lbs. box sizes.

Samples displayed are a representation of the actual manufacturer's color.  
Colors may vary slightly from those shown. Ask your Sales Representative for actual color samples before purchasing.

## STENCILS

Capital Letters	
A	SN-C-A
B	SN-C-B
C	SN-C-C
D	SN-C-D
E	SN-C-E
F	SN-C-F
G	SN-C-G
H	SN-C-H
I	SN-C-I
J	SN-C-J
K	SN-C-K
L	SN-C-L
M	SN-C-M
N	SN-C-N
O	SN-C-O
P	SN-C-P
Q	SN-C-Q
R	SN-C-R
S	SN-C-S
T	SN-C-T
U	SN-C-U
V	SN-C-V
W	SN-C-W
X	SN-C-X
Y	SN-C-Y
Z	SN-C-Z

Lowercase Letters	
a	SN-L-a
b	SN-L-b
c	SN-L-c
d	SN-L-d
e	SN-L-e
f	SN-L-f
g	SN-L-g
h	SN-L-h
i	SN-L-i
j	SN-L-j
k	SN-L-k
l	SN-L-l
m	SN-L-m
n	SN-L-n
o	SN-L-o
p	SN-L-p
q	SN-L-q
r	SN-L-r
s	SN-L-s
t	SN-L-t
u	SN-L-u
v	SN-L-v
w	SN-L-w
x	SN-L-x
y	SN-L-y
z	SN-L-z

Whole Numbers	
0	SN-W-0
1	SN-W-1
2	SN-W-2
3	SN-W-3
4	SN-W-4
5	SN-W-5
6	SN-W-6
7	SN-W-7
8	SN-W-8
9	SN-W-9



### Why PolyTECT™?

PolyTECT™ protective impregnating fluoro-polymer, which is invisible to the naked eye. The treatment sits within the pavement interstices, protecting the paving substrate from staining and contamination. Contaminants remain on the surface and are easily removed by normal cleaning methods.

5 Gallon drum of PolyTECT™	(item # PT-100-5)
----------------------------	-------------------

### Benefits:

- PolyTECT™ is a breathable finish that will not alter the appearance of a treated surface or change its color.
- Perfect for high traffic areas.
- One surfaces such as stone, travertine, wood, limestone, pavement and more.
- Help reduce further on-going maintenance and costs on a protected surface.
- Suitable for ground surfaces with high levels of foot traffic.
- Easy to apply on any surfaces and you can use the surface within 1 hour of application.
- Surface protection helps reduce further on-going maintenance.
- UV resistant, non-flammable, nontoxic and environmentally friendly.

**\*PolyTECT™ has a 15-year life expectancy when the product is applied by the approved method**

### Features:

- Repels water, grease, alcohol, oil and inhibits airborne dirt and stains
- Prevents the adhesion of chewing gum and staining from food and beverages
- Resists graffiti
- Reduces Efflorescence
- Inhibits moss and algae growth
- Reduces tire marks
- Can be used on Vertical and Horizontal Surfaces for Interior and Exterior and improves the thermal insulation value of a treated surface\*
- Reduces surface degradation from atmospheric contaminants and “freeze/thaw” cycles
- Contains Zero Volatile Organic Compound (V.O.C.)

**\*Independent tests prove that a vertical surface treated with PolyTECT™ improves thermal insulation value by 16%.**



Limestone



Travertine



Concrete



### Application:

**\*Always test apply on a small hidden portion of the substrate before applying.**

Any cracks in substrate must be repaired using a concrete/mortar repair system.

Moisture content should be equal or less than 12% to a depth of 1cm. Substrate needs to be clean; free from dust, dirt, oil, efflorescence, organic growth and old paint films.

Remove any residual of spores, molds or organic growth in general. In case of dirt or old paint residues, wash the substrate at a maximum pressure of 2,175.57 psi. If any residues or unwanted patinas persist, a preliminary surface cleaning is recommended, using sorghum brushes or micro-aero-abrasion technology.

May be applied using low pressure spray, brush or roller. Ensure application is from bottom to top on vertical surfaces, taking care not to let the production run. Any subsequent applications must be applied until saturation.



Wood




Natural Stone

### Notes:


- PolyTECT™: Cannot be re-applied after curing as there will be a loss of adhesion.
- PolyTECT™: Is unable to work if applied over non-absorbent surfaces.
- In presence of saline efflorescence, the surface must be treated with an IBIX salt extractor DESAL before the application of PolyTECT™.
- Do not apply PolyTECT™ if rain is expected within 4 hours.

### Coverage:

- Architectural Concrete: 184 Ft<sup>2</sup>/Gal (4-6 m<sup>2</sup>/Ltr)
- Block Paving: 285 Ft<sup>2</sup>/Gal (5-8 m<sup>2</sup>/Ltr)
- Porous-Natural Stone (Limestone, Sandstone): 82 Ft<sup>2</sup>/Gal (2-5 m<sup>2</sup>/Ltr)
- Low Porosity Stone (Granite, Marble, Slate, Terracotta): 652 Ft<sup>2</sup>/Gal (8-16 m<sup>2</sup>/Ltr)
- The coverage may vary according to the porosity of the stone.



# AQUATIC COATING SAMPLES



**Beach Entry Sample Board**

Beach Entry Sample Board	(item # BE-Sample Board)
--------------------------	--------------------------



**Aquatic Coatings Sales Presentation Box**  
 Contains 3" x 6" Aluminum Samples of 10 AB3 colors, 8 PF3 colors, and 1 Commercial color. See price sheet for cost.

Aquatic Coatings Sales Presentation Box	(item # AQ-SampleBox)
---	-----------------------



**Front**



**Back**

**aquaBRIGHT™ and polyFIBRO® Sales Presentation Sample Board**  
 Two Sided Color Sample Board

aquaBRIGHT™ Color Sample Board	(item # AB3-Sample Board)
--------------------------------	---------------------------

polyFIBRO® Color Sample Board	(item # PF3-Sample Board)
-------------------------------	---------------------------

# MARKETING LITERATURE



## aquaBRIGHT™ Brochure

50 Pack aquaBRIGHT™ Brochure	(item # AB3-BROCH-50)
------------------------------	-----------------------



## polyFIBRO® Brochure

50 Pack polyFIBRO® Brochure	(item # PF3-BROCH-50)
-----------------------------	-----------------------




## ecoFINISH® Company Brochure

50 ecoFINISH® Company Brochure	(item # ecoBOOK-50)
10 ecoFINISH® Company Brochure	(item # ecoBOOK-10)



## ecoFINISH® vs. Traditional Pool Finishes Comparison Tri-fold

50 Pack ecotrifold	(item # ecotrifold-50)
--------------------	------------------------



## ecoFINISH® Residential Warranty

Download:  
<https://ecofinishcoatings.com/warranty>



## ecoFINISH® Commercial Warranty

Download:  
<https://ecofinishcoatings.com/warranty>




## NSF/ANSI-61 Certification Sheet

Download:  
[www.ecopoolfinish.com/nsf61](http://www.ecopoolfinish.com/nsf61)



# MARKETING LITERATURE



## ecoDUSTRIAL™ Traditional Cut Sheet

Packs of 30

ecoDUSTRIAL™ Traditional Cut Sheet	(item # ED3-CS)
------------------------------------	-----------------



## ecoDUSTRIAL™ Non-Skid Cut Sheet

Packs of 30


ecoDUSTRIAL™ Non-Skid Cut Sheet	(item # ED3-NS-CS)
---------------------------------	--------------------



## PolyTECT™ Cut Sheet

Packs of 30

PolyTECT™ Cut Sheet	(item # POLYTECT-CS)
---------------------	----------------------



## ecoDUSTRIAL™ Brochure

50 Pack ecoDUSTRIAL™ Brochure	(item # ED3-BROCH-50)
-------------------------------	-----------------------



## aquaticLIFE™ Brochure

50 Pack aquaticLIFE™ Brochure	(item # AQLIFE-BROCH-50)
-------------------------------	--------------------------



# TERMS & CONDITIONS

## RETURNS

Only products in unopened and undamaged packaging suitable for resale will be accepted for returns. All returns are subject to a 20% re-stock charge. An RMA number **MUST** be obtained from ecoFINISH before goods may be returned. Please contact Mike Monti @ 800-333-1443 to obtain an RMA number. Freight on **ALL** returns must be prepaid. A tracking number is required as proof of delivery. C.O.D. shipments will be refused. All approved returns will be refunded in the form of an account credit.

## ORDERING/SHIPPING POLICY

*Orders must be confirmed by the customer prior to payment and shipment processing. After the order is received, a sales order quote will be emailed to you. If no changes are needed to the quote, please reply "Approved" to that email and we will begin processing your order. **The order will not be shipped until we have received your confirmation.***

Any purchase orders received **before** 12:00pm will be processed and shipped within one business day.

Any purchase orders received **after** 12:00pm will be processed and shipped within two business days.

**Custom color powder orders** will have a 6-8 week turnover time. This time includes the process of receiving your swatch that you want to match, getting your approval on our sample, and the processing time.

**Custom stencils** have a two week lead time.

### **\*\*Disclaimer\*\***

The above mentioned lead times are based on current stock and subject to change depending on product availability. Dealer/Distributor shall be notified within one business day if the product ordered will not ship according to above guidelines. Orders placed on weekends and holidays will not be received until the next business day and processed as orders received before 12:00pm. Large orders may require additional lead time.

## RETURNED CHECKS

A NSF check will automatically place an account on C.O.D., certified funds status. Customer will be required to replace the bad check with certified funds and will be assessed a \$25.00 NSF check charge.

## COLLECTION ACCOUNTS

Accounts 90 days or NSF check accounts who have failed to make arrangements with the credit manager for payment of balances due will be referred to a collection agency or attorney in the area for implementation of any and all legal means available to effect repayment of the debt.

## FREIGHT POLICY

All shipments are F.O.B. Warminster, PA.

All merchandise shipped by Common Carrier at Buyer's risk. Seller's responsibility ceases with receipt of bill of lading from Common Carrier. Seller will insure goods for full amount unless Buyer submits written request to Seller. **SHIPMENT DAMAGE OR SHORTAGE CLAIMS MUST BE MADE WITH DELIVERING CARRIER IMMEDIATELY.** Buyer must pay for replacement goods plus shipping for material damaged in transit before replacement goods can be shipped.

## SHIPMENT VARIANCES

You have 48 hours to contact Customer Service on any missing or incorrect product. No exception!

All of our merchandise goes through rigorous quality control inspections. In the event that a product is found to be defective, you must contact ecoFINISH® to obtain an RMA (Return Merchandise Authorization) number. **DO NOT** ship item(s) to be replaced or credited without an RMA number or your return will not be processed. Please contact Mike Monti @ 800-333-1443 to obtain an RMA number. Customer Service will need a fax number or e-mail address in order to provide the appropriate RMA documentation for all returns.

**Terms and Conditions:** Subject to change without notice.

## 10 Year Limited Residential Product Warranty



- I. ecoFINISH® LLC ("EF") of Warminster, Pennsylvania, is the manufacturer of aquaBRIGHT™ & polyFIBRO® ("Products") which are only sold by EF to independent dealer contractors ("Dealer"). At the sole option of the retail Dealer, EF offers this 10 Year Limited Residential Product Warranty to the Dealer's Residential customer. This Limited Product Warranty only covers defects in the manufactured material of the Products during the applicable Warranty Period (as defined below) (the "Limited Warranty"). This Limited Warranty starts on the date of your purchase and lasts for 10 years (the "Warranty Period"). The Warranty Period is not extended if we repair or replace the Product. EF may change the availability of this Limited Warranty at our discretion, but any changes will not be retroactive. EF extends this Limited Warranty only to the customer who originally purchased the Products ("You"). It does not extend to any subsequent owner or other transferee of the Products.
- II. This Limited Warranty includes the following:
- A. Chemical Resistant- The Products will not significantly deteriorate due to exposure to appropriate swimming pool chemistry conditions.
  - B. Chalk Resistant- Product colors will not chalk.
  - C. The Products will obstruct growth of mildew on the surface of the sealer film. Resists organic stains. (stain resistant does not mean stain proof)
  - D. Spall Resistant- The Product chemically bonds to the surface and is resistant to spalling or delamination.
- III. This Limited Warranty does not cover, among other exclusions: any defect to the Products due to the negligence of the customer, Dealer, installers, and/or other persons; defects in the installation or faulty installation; failure to maintain the Products properly; unreasonable use or abuse; alterations to the Products; unsatisfactory material choices by You or the installer; accidental damage; element damage such as water or rain; over-heating; freeze/thaw; vandalism; acts of God or causes other than defects in the materials of the Products. Examples of "defects in installation" or "faulty installation" by Dealer, installers, contractors, or any other person involved in the installation process may include the following: improper prepping of the surface, failure to clean the surface pursuant to the Installation Manual's instructions as needed at the time of installation, defective substrates, wall structures that are not built to code - and are not constructed pursuant to all applicable local building or governing agencies, or previous coatings which have lost adhesion and were not properly removed prior to the Product install. This Limited Warranty does not cover deterioration, scratches, any abuse to the finish or wear of the Products that was caused by You post-installation, by moving or dragging equipment, fittings, furniture, or any other physical item over the finished surface. EF is not responsible for the actions and omissions, including negligence, of the installer. Installation workmanship, materials and subsequent materials used in the installation are not covered under this Limited Warranty.
- IV. This Limited Warranty will apply only if the claim is for defective material and such claim is submitted to EF online at [ecofinishcoatings.com/warrantyclaimform](http://ecofinishcoatings.com/warrantyclaimform). EF will evaluate each claim and if it is covered claim, EF will, at its discretion, coordinate the repair or replacement of the defective material with the Dealer. Previously painted surfaces must have paint removed before applying the Products. All surfaces must be properly cleaned with aquaBRIGHT™ & polyFIBRO® approved methods. The Products must be applied in accordance with EF's Installation Manual's instructions.

Name of Customer: \_\_\_\_\_ Project Address: \_\_\_\_\_

Customer Telephone: \_\_\_\_\_ Date Project is Completed: \_\_\_\_\_

Name of Dealer: \_\_\_\_\_

Within 60 days of the Date Project is Completed Dealer must provide to EF this completed form including the purchase information associated with the specific customer project in Section IV above. Failure to do so by Dealer may cause the Limited Warranty to be void.

- V. This Ten Year Limited Warranty shall be pro-rated as follows for replacement by EF of any Products with a proven manufacturer material defect:
- Year One-Five: EF will replace the Product with a proven manufacturer's defect.
  - Year Six: EF will replace product valued at 90% of Dealer's prevailing product cost.
  - Year Seven: EF will replace product valued at 80% of Dealer's prevailing product cost.
  - Year Eight: EF will replace product valued at 70% of Dealer's prevailing product cost.
  - Year Nine: EF will replace product valued at 60% of Dealer's prevailing product cost.
  - Year Ten: EF will replace product valued at 50% of Dealer's prevailing product cost.

Dealer or its customer shall be responsible for the difference between the EF product allowance above, and the Dealer's retail product replacement costs. All approved warranty claim products will be shipped F.O.B. from EF's corporate office address at 415 Constance Drive, Warminster, PA 18974.

This Limited Warranty does not cover any costs related to the removal, replacement, installation, or labor expenses in connection with the replaced Products. No Dealer or anyone else has authorization to modify this Limited Warranty. All dealers of ecoFINISH® products are independently owned and operated, and all Product installations are the sole responsibility of each authorized Dealer. It is the sole responsibility of the Dealer's or customer to employ only competent installers in order that the Products are properly installed. EF will not be responsible for any form of special, indirect, accidental, lost profits or consequential damages caused thereby. All warranty claims submitted require proof of purchase. Failure to strictly comply with the conditions set forth in this Limited Warranty will make this Limited Warranty null and void.

- VI. THIS WARRANTY SUPERCEDES ANY VERBAL OR WRITTEN AGREEMENTS. EF's HEREBY EXCLUDES ANY AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, AND THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF. THIS FORM OF LIMITED WARRANTY IS ONLY AVAILABLE FOR PURCHASES OF PRODUCTS AFTER JANUARY 1, 2020.

**NOTE: THIS LIMITED WARRANTY WILL APPLY ONLY IF THE FOLLOWING PROJECT INFORMATION, ALONG WITH THE DEALER'S CUSTOMER'S NAME, ADDRESS AND TELEPHONE NUMBER, ARE SUBMITTED TO EF BY THE INDEPENDENT DEALER AT THE TIME OF THE DEALER'S PROJECT.**

### PROJECT INFORMATION

Area Surfaced: \_\_\_\_\_

Previous Surface Type: \_\_\_\_\_

Surface Color: \_\_\_\_\_



## COMMERCIAL USE – LIMITED PRODUCT WARRANTY



- I. ecoFINISH® LLC ("EF") of Warminster, Pennsylvania, is the manufacturer of aquaBRIGHT™ & polyFIBRO® ("Products") which are only sold by EF to independent dealer contractors ("Dealer"). At the sole option of the Dealer, EF offers this ten (10) Year Limited Product Warranty for its industrial/commercial/institutional customers. This Limited Warranty only covers defects in the manufactured material of the Products during the applicable Warranty Period (as defined below) (the "Limited Warranty"). This Limited Warranty starts on the date of your purchase and lasts for ten (10) years (the "Warranty Period"). The Warranty Period is not extended if we repair or replace the Product. EF may change the availability of this Limited Warranty at our discretion, but any changes will not be retroactive. EF extends this Limited Warranty only to the commercial customer who originally purchased the Products ("You"). It does not extend to any subsequent owner or other transferee of the Products.
- II. This Limited Warranty includes the following:
- A. Chalk Resistant- Product colors will not chalk.
  - B. The Products will obstruct growth of mildew on the surface of the sealer film. (stain resistant does not mean stain proof)
  - C. Spall Resistant- The Product chemically bonds to the surface and is resistant to spalling or delamination.
- III. This Limited Warranty does not cover, among other exclusions: any defect to the Products due to the negligence of the customer, Dealer, installers, and/or other persons; defects in the installation or faulty installation; failure to maintain the Products properly; unreasonable use or abuse; alterations to the Products; unsatisfactory material choices by You or the installer; accidental damage; element damage such as water or rain; over-heating; freeze/thaw; vandalism; acts of God; bleaching caused by aggressive water chemistry found at commercial pools, or causes other than defects in the materials of the Products. Examples of "defects in installation" or "faulty installation" by Dealer, installers, contractors, or any other person involved in the installation process may include the following: improper prepping of the surface, failure to clean the surface pursuant to the Installation Manual's instructions as needed at the time of installation, defective substrates, wall structures that are not built to code - and are not constructed pursuant to all applicable local building or governing agencies, or previous coatings which have lost adhesion and were not properly removed prior to the Product install. This Limited Warranty does not cover deterioration, scratches, any abuse to the finish or wear of the Products that was caused by You post-installation, by moving or dragging equipment, fittings, furniture, or any other physical item over the finished surface. EF is not responsible for the actions and omissions, including negligence, of the installer. Installation workmanship, materials and subsequent materials used in the installation are not covered under this Limited Warranty.
- IV. This Limited Warranty will apply only if the claim is for defective material and such claim is submitted to EF by Dealer online at [www.jotform.com/form/70665744521155](http://www.jotform.com/form/70665744521155). EF will evaluate each claim and if it is covered claim, EF will, at its discretion, coordinate the repair or replacement of the defective material with the Dealer. Previously painted surfaces must have paint removed before applying the Products. All surfaces must be properly cleaned with aquaBRIGHT™ & polyFIBRO® approved methods. The Products must be applied in accordance with EF's Installation Manual's instructions.

Name of Customer: \_\_\_\_\_ Project Address: \_\_\_\_\_

Customer Telephone: \_\_\_\_\_ Date Project is Completed: \_\_\_\_\_

Name of Dealer: \_\_\_\_\_

Within 60 days of the Date Project is Completed Dealer must provide to EF this completed form including the purchase information in Section IV above and copies of all EF invoices and each respective invoice number(s) associated with the specific customer project. Failure to do so by Dealer may cause the Limited Warranty to be void.

- V. This Ten Year Limited Warranty shall be pro-rated as follows for replacement by EF of any Products with a proven manufacturer material defect:

Year One-Five: EF will replace the Product with a proven manufacturer's defect.  
Year Six: EF will replace product valued at 90% of Dealer's prevailing product cost.  
Year Seven: EF will replace product valued at 80% of Dealer's prevailing product cost.  
Year Eight: EF will replace product valued at 70% of Dealer's prevailing product cost.  
Year Nine: EF will replace product valued at 60% of Dealer's prevailing product cost.  
Year Ten: EF will replace product valued at 50% of Dealer's prevailing product cost.

Dealer or its customer shall be responsible for the difference between the EF product allowance above, and the Dealer's retail product replacement costs. All approved warranty claim products will be shipped F.O.B. from EF's corporate office address at 415 Constance Drive, Warminster, PA 18974.

This Limited Warranty does not cover any costs related to the removal, replacement, installation, or labor expenses in connection with the replaced Products. No Dealer or anyone else has authorization to modify this Limited Warranty. All aquaBRIGHT™ & polyFIBRO® Dealers are independently owned and operated, and all Product installations are the sole responsibility of each authorized Dealer. It is the sole responsibility of the Dealer's or customer to employ only competent installers in order that the Products are properly installed. EF will not be responsible for any form of special, indirect, accidental, lost profits or consequential damages caused thereby. All warranty claims submitted require proof of purchase. Failure to strictly comply with the conditions set forth in this Limited Warranty will make this Limited Warranty null and void.

- VI. THIS WARRANTY SUPERCEDES ANY VERBAL OR WRITTEN AGREEMENTS. EF HEREBY EXCLUDES ANY AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, AND THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF. THIS FORM OF LIMITED WARRANTY IS ONLY AVAILABLE FOR PURCHASES OF PRODUCTS AFTER JANUARY 1, 2020.

**NOTE: THIS LIMITED WARRANTY WILL APPLY ONLY IF THE FOLLOWING PROJECT INFORMATION, ALONG WITH THE DEALER'S CUSTOMER'S NAME, ADDRESS AND TELEPHONE NUMBER, ARE SUBMITTED TO EF BY THE INDEPENDENT DEALER AT THE TIME OF THE DEALER'S PROJECT.**

### PROJECT INFORMATION

Area Surfaced: \_\_\_\_\_

Previous Surface Type: \_\_\_\_\_

Surface Color: \_\_\_\_\_





# IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 – USA • 909-472-4100 • 909-472-4244 • [www.iapmort.org](http://www.iapmort.org)



NSF/ANSI 61

## CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at [pld.iapmo.org](http://pld.iapmo.org)

Effective Date: April 2019

Void After: April 2024

Product: Drinking Water System Components - Health Effects

File No. N-10519

Issued To: Ecofinish, LLC  
415 Constance Drive  
Warminster, PA 18974

Identification: Each product shall be permanently and legibly marked with the manufacturer's name or trademark. The product may also be marked with the standard designation "NSF/ANSI 61".

Characteristics: Materials or products that come into contact with drinking water and/or drinking water treatment chemicals. Products and materials may include process media, protective materials, joining and sealing materials, pipes and related products, mechanical devices used with treatment/transmission/distribution systems, and mechanical plumbing devices. To be installed in accordance with the manufacturer's instruction. Lead free requirements are addressed under a separate certificate of listing.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following standard(s):

  
Chairman, Product Certification Committee

  
CEO, The IAPMO Group



This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.



# Express Order Form



Company \_\_\_\_\_ Ordered By \_\_\_\_\_ Req. Ship Date \_\_\_\_\_  
Ship to Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_  
Phone \_\_\_\_\_ PO# \_\_\_\_\_ Order Date \_\_\_\_\_  
Ship Via: ☐ Ground ☐ Expedited Shipping (USA ONLY): ☐ Overnight ☐ 2 Day ☐ 3 Day Select Delivery: ☐ AM or ☐ PM  
EU orders: eu-po@ecopoolfinish.com United States and all other orders: po@ecopoolfinish.com OR By Fax To: 1-877-448-2521



## Series 3 Powders

(40lb Increments Only)

AB3-BG	Blue Granite	QTY _____	Boxes
AB3-BL	Blue Lagoon	QTY _____	Boxes
AB3-BM	Blue Mist	QTY _____	Boxes
AB3-FG	French Grey	QTY _____	Boxes
AB3-GR	Grey Reef	QTY _____	Boxes
AB3-KC	Kona Coast	QTY _____	Boxes
AB3-MB	Mediterranean Blue	QTY _____	Boxes
AB3-MD	Midnight Blue	QTY _____	Boxes
AB3-PN	Perle Noire	QTY _____	Boxes
AB3-SS	Sahara Sand	QTY _____	Boxes



## Series 3 Powders

(40lb Increments Only)

PF3-BB	Barbuda	QTY _____	Boxes
PF3-BA	Black Absinthe	QTY _____	Boxes
PF3-CV	Cabo Verde	QTY _____	Boxes
PF3-GV	Giallo Versilla	QTY _____	Boxes
PF3-II	Ice Ice Bay Bay	QTY _____	Boxes
PF3-MK	Marrakesh	QTY _____	Boxes
PF3-PB	Pacific Blue	QTY _____	Boxes
PF3-SB	Sandy Beach	QTY _____	Boxes
PF3-SN	Santorini	QTY _____	Boxes

## Aquatic Coating Sales Presentation Box

Aquatic Coatings Sales AQ-SampleBox QTY \_\_\_\_\_ Boxes  
Presentations Box

## Commercial Colors

(40lb Increments Only)

CM3-CW	California White	QTY _____	Boxes
CM3-WH	Commercial White	QTY _____	Boxes

*Please contact for custom color inquiries.*

## Fiberglass Mat Wall Anchors

100 Fiberglass Mat Wall Anchors FM Anchors QTY \_\_\_\_\_

## Beach Entry Coatings

(40lb Increments Only)

BEM-BL	Blue Lagoon	QTY _____	Boxes
BEM-BM	Blue Mist	QTY _____	Boxes
BEM-CW	California White	QTY _____	Boxes
BEM-GR	Grey Reef	QTY _____	Boxes
BEM-II	Ice Ice Bay Bay	QTY _____	Boxes
BEM-KC	Kona Coast	QTY _____	Boxes
BEM-PB	Pacific Blue	QTY _____	Boxes
BEM-SS	Sahara Sand	QTY _____	Boxes
BEM-SB	Sandy Beach	QTY _____	Boxes

## Silicone Tapes

1" x 36 Yards Glass Coated Silicone Tape

1" Heat Tape	HT-1x36-5	QTY _____	Sleeve (5 Rolls)
1" Heat Tape	HT-1x36-CA	QTY _____	Case (40 Rolls)

2" x 36 Yards Glass Coated Silicone Tape

2" Heat Tape	HT-2x36-5	QTY _____	Sleeve (5 Rolls)
2" Heat Tape	HT-2x36-CA	QTY _____	Case (20 Rolls)

4" x 36 Yards Glass Coated Silicone Tape

4" Heat Tape	HT-4x36	QTY _____	(1 Roll)
4" Heat Tape	HT-4x36-CA	QTY _____	Case (8 Rolls)

## Silicone Return Plug

Silicone Return Plug	SRP-2 3PAK	QTY _____	3 Pack
Large Silicone Return Plug	SRP-3 2PAK	QTY _____	2 Pack

## Silicone Aerosol Spray

10wt oz (283g) Silicone Aerosol Silicone Spray QTY \_\_\_\_\_

## Silicone Fabric

Fluorofab Silicone Fabric 9x20 Yards

Silicone Fabric	FAB-9x20	QTY _____	Roll (1 Roll)
Silicone Fabric	FAB-9x20-CA	QTY _____	Case (4 Rolls)

# Express Order Form



Company \_\_\_\_\_ Ordered By \_\_\_\_\_ Req. Ship Date \_\_\_\_\_  
Ship to Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_  
Phone \_\_\_\_\_ PO# \_\_\_\_\_ Order Date \_\_\_\_\_

Ship Via: ☐ Ground ☐ Expedited Shipping (USA ONLY): ☐ Overnight ☐ 2 Day ☐ 3 Day Select Delivery: ☐ AM or ☐ PM

EU orders: eu-po@ecopoolfinish.com United States and all other orders: po@ecopoolfinish.com OR By Fax To: 1-877-448-2521

## Epoxy Primer

X40 Epoxy Primer 4kg	X40-1	QTY _____	1 Kit
X40 Epoxy Primer 4kg	X40-3	QTY _____	3 Kit
X40 Epoxy Primer 4kg	X40-5	QTY _____	5 Kit
X40 Epoxy Primer 4kg	X40 Pallet	QTY _____	100 Kit

## Cool Weather Epoxy Primer

X40C Epoxy Primer 4kg	X40C-1	QTY _____	1 Kit
X40C Epoxy Primer 4kg	X40C-3	QTY _____	3 Kit
X40C Epoxy Primer 4kg	X40C-5	QTY _____	5 Kit
X40C Epoxy Primer 4kg	X40C Pallet	QTY _____	100 Kit

## Rapid Set Epoxy Primer

Rapid Set Epoxy X40C-Mini-3Pack(.75kg each) QTY \_\_\_\_\_ Kit

## High Build Epoxy

X40-200 HBT	X40-200-HBT-1	QTY _____	1 Kit
X40-200 HBT	X40-200-HBT-2	QTY _____	2 Kit
X40-200 HBT	X40-200-HBT-4	QTY _____	4 Kit

## X40 Additive Pack Flood Coat

X40 Flood Coat X40-FC-5Pak QTY \_\_\_\_\_ Roll

## Fiberglass Mesh

12" x 150' Mesh	Mesh-12.5 x 150	QTY _____	Roll
48" x 150' Mesh	Mesh-48 x 150	QTY _____	Roll

## 5 Gallon Polypro Epoxy Mixer

Squirrel Mixer ESM 5gal QTY \_\_\_\_\_

## Red Pigment for X40/X40C Epoxy Primer

Pigment X40/X40C	X40-PP-BULK	QTY _____	1 LB. Jar
Pigment X40/X40C	X40-PP-BULK-CA	QTY _____	Case (8)

## Spiked Shoes

Spiked Shoes Medium SPK-MD QTY \_\_\_\_\_  
*Sizes 9 and under*

Spiked Shoes Large *Sizes 9 - 11* SPK-LG QTY \_\_\_\_\_

Spiked Shoes X-Large *Sizes 11+* SPK-XL QTY \_\_\_\_\_

## Semi-Flex Concrete Sanding Discs

16 Grit Discs	SD-4.5-16-5	QTY _____	Sleeve (5)
16 Grit Discs	SD-4.5-16-CA	QTY _____	Case (25)
36 Grit Discs	SD-4.5-36-5	QTY _____	Sleeve (5)
36 Grit Discs	SD-4.5-36-CA	QTY _____	Case (25)
60 Grit Discs	SD-4.5-60-5	QTY _____	Sleeve (5)
60 Grit Discs	SD-4.5-60-CA	QTY _____	Case (25)
16 Grit Discs	SD-7-16-5	QTY _____	Sleeve (5)
16 Grit Discs	SD-7-16-CA	QTY _____	Case (25)
36 Grit Discs	SD-7-36-5	QTY _____	Sleeve (5)
36 Grit Discs	SD-7-36-CA	QTY _____	Case (25)
60 Grit Discs	SD-7-60-5	QTY _____	Sleeve (5)
60 Grit Discs	SD-7-60-CA	QTY _____	Case (25)

## Diamabrush Removal Disks

4.5" Removal Tool	DB-4.5-RT	QTY _____	1 Disk
4.5" Replacement Blades	DB-4.5-RB	QTY _____	1 Set
4.5" Tool Dust Shroud	DB-4.5-DS	QTY _____	1 Shroud
7" Removal Tool	DB-7-RT	QTY _____	1 Disk
7" Replacement Blades	DB-7-RB	QTY _____	1 Set
7" Tool Dust Shroud	DB-7-DS	QTY _____	1 Shroud

## Backing Pads

4.5" Backing Pad	BP-4.5-1	QTY _____	1 Pad
7" Backing Pad	BP-7-1	QTY _____	1 Pad

## BIO-DEX

(1) 32oz bottles	BioDex-1 Quart	QTY _____
(12) 32oz bottles	BioDex-CA	QTY _____

## Preferred Sequestering Agent

Beautec 64oz	Beautec-CA-64oz	QTY _____	(8 Bottles)
Startup-Tec 64oz	Startup-CA-64oz	QTY _____	(8 Bottles)
Scaletec 64oz	Scaletec-CA-64oz	QTY _____	(8 Bottles)

## PolyTECT™

5 Gal Container	PT-100-5	QTY _____
-----------------	----------	-----------

Company \_\_\_\_\_ Ordered By \_\_\_\_\_ Req. Ship Date \_\_\_\_\_  
 Ship to Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_  
 Phone \_\_\_\_\_ PO# \_\_\_\_\_ Order Date \_\_\_\_\_

Ship Via: ☐ **Ground** ☐ **Expedited Shipping (USA ONLY):** ☐ Overnight ☐ 2 Day ☐ 3 Day Select Delivery: ☐ AM or ☐ PM

EU orders: eu-po@ecopoolfinish.com United States and all other orders: po@ecopoolfinish.com OR By Fax To: 1-877-448-2521

### Literature

ecoFINISH Company Brochure	ecoBOOK-10	QTY _____
ecoFINISH Company Brochure	ecoBOOK-50	QTY _____
50 Pack aquaBRIGHT Brochure	AB3-BROCH-50	QTY _____
50 Pack polyFIBRO Brochure	PF3-BROCH-50	QTY _____
50 Pack ecoDUSTRIAL Brochure	ED3-BROCH-50	QTY _____
50 Pack aquaticLIFE Brochure	AQLIFE-BROCH-50	QTY _____
AB3/PF3 Sales Presentation Boards	AB/PF3-Sample Board	QTY _____
Beach Entry Sample Board	BE-Sample Board	QTY _____
ecoDUSTRIAL Traditional Cut Sheet	ED3-CS	QTY _____
ecoDUSTRIAL Non-Skid Cut Sheet	ED3-NS-CS	QTY _____
PolyTECT Cut Sheet	POLYTECT-CS	QTY _____
50 Pack Comparison Tri-Fold	ecotrifold-50	QTY _____
Residential Warranty - Digital		Download
<a href="https://www.ecofinishcoatings.com/warranty">https://www.ecofinishcoatings.com/warranty</a>		
Commercial Warranty - Digital		Download
<a href="https://www.ecofinishcoatings.com/warranty">https://www.ecofinishcoatings.com/warranty</a>		
NSF/ANSI61 Certificate Sheet - Digital		Download
<a href="http://www.ecopoolfinish.com/nsf61">www.ecopoolfinish.com/nsf61</a>		

### French Literature

ecoFINISH Company Brochure	eco-FR-BOOK-10	QTY _____
50 Pack aquaBRIGHT Brochure	AB3-FR-BROCH-50	QTY _____
50 Pack ecoDUSTRIAL Brochure	ED3-FR-BROCH-50	QTY _____
50 Pack aquaticLIFE Brochure	AQLIFE-FR-BROCH-50	QTY _____
AB3 Sales Presentation Boards	AB3-FR-Sample Board	QTY _____
ecoDUSTRIAL Traditional Cut Sheet	ED3-FR-CS-TF	QTY _____
ecoDUSTRIAL Non-Skid Cut Sheet	ED3-FR-NS-CS	QTY _____
Residential Warranty - Digital		Download
<a href="https://www.ecofinish.fr/warranty">https://www.ecofinish.fr/warranty</a>		
Commercial Warranty - Digital		Download
<a href="https://www.ecofinish.fr/warranty">https://www.ecofinish.fr/warranty</a>		

### Spanish Literature

50 Pack aquaBRIGHT Brochure	AB3-ES-BROCH-50	QTY _____
50 Pack ecoDUSTRIAL Brochure	ED3-ES-BROCH-50	QTY _____
50 Pack aquaticLIFE Brochure	AQLIFE-ES-BROCH-50	QTY _____
AB3 Sales Presentation Boards	AB3-ES-Sample Board	QTY _____
ecoDUSTRIAL Traditional Cut Sheet	ED3-ES-CS-TF	QTY _____
ecoDUSTRIAL Non-Skid Cut Sheet	ED3-ES-NS-CS	QTY _____
Residential Warranty - Digital		Download
<a href="https://eco-finish.es/warranty">https://eco-finish.es/warranty</a>		
Commercial Warranty - Digital		Download
<a href="https://eco-finish.es/warranty">https://eco-finish.es/warranty</a>		

### Shade Shelter

10' Dome Tent	SS-DT-25106	QTY _____
20' Dome Tent	SS-DT-25206	QTY _____
4 Kit Water Ballast	SS-WB-4 (4 KIT)	QTY _____
6 Kit Water Ballast	SS-WB-6 (6 KIT)	QTY _____
900W UL Certified Blower	SS-BL-US-900	QTY _____
1500W UL Certified Blower	SS-BL-US-1500	QTY _____

### Installation Equipment

Vortex Applicator Gun	IBIX-BLK	QTY _____
High Tech Applicator Gun	IBIX-GRN	QTY _____
Proton Pack	IBIX-PROTON PACK	QTY _____
ecoDUSTRIAL Hobby Gun	IBIX-HOBBY	QTY _____
Detail Gun	IBIX-DETAIL	QTY _____
Standard Gun	IBIX-BLK-140	QTY _____
Pro Gun	PRO GUN	QTY _____
High Tech Applicator Gun	HTA GUN	QTY _____

### Ignitors

1 USB Spark Ignitor	ARC-V1	QTY _____
5 USB Spark Ignitors	ARC-V1-CA	QTY _____

### Equipment Parts

Goss LP Regulator	GOSS-EP-70G	QTY _____
Oil/Water Separator	Oil/Water Separator	QTY _____
Set of Air and Powder Flow Pressure Regulators	Air/Powder Regulator	QTY _____
Powder on/off switch for pool coating units.	Powder On/Off Switch	QTY _____
5/32" red powder control line bulkhead fitting.	532-Red-Bulk	QTY _____
5/32" black powder control line bulkhead fitting.	532-Black-Bulk	QTY _____

### Turnkey Kit

Turnkey Kit	Turnkey Kit	QTY _____
-------------	-------------	-----------

Company \_\_\_\_\_ Ordered By \_\_\_\_\_ Req. Ship Date \_\_\_\_\_  
 Ship to Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_  
 Phone \_\_\_\_\_ PO# \_\_\_\_\_ Order Date \_\_\_\_\_

Ship Via: ☐ Ground ☐ Expedited Shipping (USA ONLY): ☐ Overnight ☐ 2 Day ☐ 3 Day Select Delivery: ☐ AM or ☐ PM

EU orders: eu-po@ecopoolfinish.com United States and all other orders: po@ecopoolfinish.com OR By Fax To: 1-877-448-2521

### 6"x 6" Verbiage Markers

FT	FT	SV-6-FT	QTY _____
FT.	FT.	SV-6-FT.	QTY _____
FEET	FEET	SV-6-FEET	QTY _____
FEET DEEP	FEET DEEP	SV-6-FD	QTY _____
IN	IN	SV-6-IN	QTY _____
IN.	IN.	SV-6-IN.	QTY _____
INCHES	INCHES	SV-6-INCHES	QTY _____
INCHES DEEP	INCHES DEEP	SV-6-ID	QTY _____
M	m	SV-6-M	QTY _____
M.	m.	SV-6-M.	QTY _____
METERS	METERS	SV-6-METERS	QTY _____
METERS DEEP	METERS DEEP	SV-6-MD	QTY _____
DEEP	DEEP	SV-6-DEEP	QTY _____
DEPTH	DEPTH	SV-6-DEPTH	QTY _____

### 6"x 6" Other Verbiage Markers

AT	AT	SV-6-AT	QTY _____
CENTER	CENTER	SV-6-CE	QTY _____
DRAIN	DRAIN	SV-6-DR	QTY _____
EDGE	EDGE	SV-6-EDGE	QTY _____
END	END	SV-6-END	QTY _____
ENTRY	ENTRY	SV-6-ENTRY	QTY _____
NO	NO	SV-6-NO	QTY _____
NO STEP	NO STEP	SV-6-NS	QTY _____
NO DIVING	NO DIVING	SV-6-ND	QTY _____
OR	OR	SV-6-OR	QTY _____
POOL	POOL	SV-6-POOL	QTY _____
RAMP	RAMP	SV-6-RAMP	QTY _____
SEAT	SEAT	SV-6-SEAT	QTY _____
SHELF	SHELF	SV-6-SHELF	QTY _____
STEPS	STEPS	SV-6-STEPS	QTY _____
TO	TO	SV-6-TO	QTY _____
WALL	WALL	SV-6-WALL	QTY _____
NO DIVING SYMBOL	NO DIVING SYMBOL	SS-6-ND	QTY _____

### 6"x 12" Verbiage Markers

FEET	FEET	SV-12-FT	QTY _____
FEET DEEP	FEET DEEP	SV-12-FD	QTY _____
INCHES	INCHES	SV-12-IN	QTY _____
INCHES DEEP	INCHES DEEP	SV-12-ID	QTY _____
METERS	METERS	SV-12-MT	QTY _____
METERS DEEP	METERS DEEP	SV-12-MD	QTY _____
DEPTH	DEPTH	SV-12-DE	QTY _____

### 6"x 12" Other Verbiage Markers

CAUTION	CAUTION	SV-12-CA	QTY _____
CENTER	CENTER	SV-12-CE	QTY _____
DRAIN	DRAIN	SV-12-DR	QTY _____
ENTRY	ENTRY	SV-12-EN	QTY _____
KEEP OFF	KEEP OFF	SV-12-KO	QTY _____
LIFEGUARD	LIFEGUARD	SV-12-LG	QTY _____
NO CLIMBING	NO CLIMBING	SV-12-NC	QTY _____
NO DIVING	NO DIVING	SV-12-ND	QTY _____
NO ENTRY	NO ENTRY	SV-12-NE	QTY _____
NO JUMPING	NO JUMPING	SV-12-NJ	QTY _____
NO RUNNING	NO RUNNING	SV-12-NR	QTY _____
NO STEP	NO STEP	SV-12-NS	QTY _____
SHALLOW	SHALLOW	SV-12-SHA	QTY _____
SHELF	SHELF	SV-12-SHE	QTY _____
VARIES	VARIES	SV-12-VA	QTY _____
WATER	WATER	SV-12-WA	QTY _____
ZERO DEPTH	ZERO DEPTH	SV-12-ZD	QTY _____
ZERO ENTRY	ZERO ENTRY	SS-12-ZE	QTY _____

### 6"x 24" Verbiage Markers

NO DIVING	NO DIVING	SV-24-ND	QTY _____
-----------	-----------	----------	-----------

### 6"x 48" Verbiage Markers

NO DIVING	NO DIVING	SV-48-ND	QTY _____
-----------	-----------	----------	-----------



# Express Order Form



Company \_\_\_\_\_ Ordered By \_\_\_\_\_ Req. Ship Date \_\_\_\_\_  
 Ship to Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_  
 Phone \_\_\_\_\_ PO# \_\_\_\_\_ Order Date \_\_\_\_\_  
 Ship Via: ☐ **Ground** ☐ **Expedited Shipping (USA ONLY):** ☐ Overnight ☐ 2 Day ☐ 3 Day Select Delivery: ☐ AM or ☐ PM  
**EU orders:** eu-po@ecopoolfinish.com **United States and all other orders:** po@ecopoolfinish.com OR By Fax To: 1-877-448-2521

## Numbers With Small IN

### 6"x 6" Stencils

0IN	SN-W-0-IN	QTY _____
1IN	SN-W-1-IN	QTY _____
2IN	SN-W-2-IN	QTY _____
3IN	SN-W-3-IN	QTY _____
4IN	SN-W-4-IN	QTY _____
5IN	SN-W-5-IN	QTY _____
6IN	SN-W-6-IN	QTY _____
7IN	SN-W-7-IN	QTY _____
8IN	SN-W-8-IN	QTY _____
9IN	SN-W-9-IN	QTY _____
10IN	SN-W-10-IN	QTY _____
11IN	SN-W-11-IN	QTY _____
12IN	SN-W-12-IN	QTY _____
14IN	SN-W-14-IN	QTY _____
16IN	SN-W-16-IN	QTY _____
17IN	SN-W-17-IN	QTY _____
18IN	SN-W-18-IN	QTY _____

## Numbers With Small FT

### 6"x 6" Stencils

0FT	SN-W-0-FT	QTY _____
1½FT	SN-H-0-FT	QTY _____
1FT	SN-W-1-FT	QTY _____
1½FT	SN-H-1-FT	QTY _____
2FT	SN-W-2-FT	QTY _____
2½FT	SN-H-2-FT	QTY _____
3FT	SN-W-3-FT	QTY _____
3½FT	SN-H-3-FT	QTY _____
4FT	SN-W-4-FT	QTY _____
4½FT	SN-H-4-FT	QTY _____
5FT	SN-W-5-FT	QTY _____
5½FT	SN-H-5-FT	QTY _____
6FT	SN-W-6-FT	QTY _____
6½FT	SN-H-6-FT	QTY _____
7FT	SN-W-7-FT	QTY _____
7½FT	SN-H-7-FT	QTY _____
8FT	SN-W-8-FT	QTY _____
8½FT	SN-H-8-FT	QTY _____
9FT	SN-W-9-FT	QTY _____
9½FT	SN-H-9-FT	QTY _____
10FT	SN-W-10-FT	QTY _____
11FT	SN-W-11-FT	QTY _____
12FT	SN-W-12-FT	QTY _____

## Numbers With Small m

### 6"x 6" Stencils

0m	SN-0-m	QTY _____
0.3m	SN-0.3-m	QTY _____
0.5m	SN-0.5-m	QTY _____
0.6m	SN-0.6-m	QTY _____
0.8m	SN-0.8-m	QTY _____
0.9m	SN-0.9-m	QTY _____
1.1m	SN-1.1-m	QTY _____
1.2m	SN-1.2-m	QTY _____
1.4m	SN-1.4-m	QTY _____
1.5m	SN-1.5-m	QTY _____
1.7m	SN-1.7-m	QTY _____
1.8m	SN-1.8-m	QTY _____
2.0m	SN-2.0-m	QTY _____
2.1m	SN-2.1-m	QTY _____
2.3m	SN-2.3-m	QTY _____
2.4m	SN-2.4-m	QTY _____
2.6m	SN-2.6-m	QTY _____
2.7m	SN-2.7-m	QTY _____
2.9m	SN-2.9-m	QTY _____
3.0m	SN-W-3.0-m	QTY _____
3.4m	SN-3.4-m	QTY _____
3.6m	SN-3.6-m	QTY _____
3.7m	SN-3.7-m	QTY _____

# Express Order Form



Company \_\_\_\_\_ Ordered By \_\_\_\_\_ Req. Ship Date \_\_\_\_\_  
Ship to Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_  
Phone \_\_\_\_\_ PO# \_\_\_\_\_ Order Date \_\_\_\_\_  
Ship Via: ☐ **Ground** ☐ **Expedited Shipping (USA ONLY):** ☐ Overnight ☐ 2 Day ☐ 3 Day Select Delivery: ☐ AM or ☐ PM  
**EU orders:** eu-po@ecopoolfinish.com **United States and all other orders:** po@ecopoolfinish.com OR By Fax To: 1-877-448-2521

## Decimal Numbers

### 6"x 6" Stencils

0.3	SN-0.3	QTY _____
0.5	SN-0.5	QTY _____
0.6	SN-0.6	QTY _____
0.8	SN-0.8	QTY _____
0.9	SN-0.9	QTY _____
1.1	SN-1.1	QTY _____
1.2	SN-1.2	QTY _____
1.4	SN-1.4	QTY _____
1.5	SN-1.5	QTY _____
1.7	SN-1.7	QTY _____
1.8	SN-1.8	QTY _____
2.0	SN-2.0	QTY _____
2.1	SN-2.1	QTY _____
2.3	SN-2.3	QTY _____
2.4	SN-2.4	QTY _____
2.6	SN-2.6	QTY _____
2.7	SN-2.7	QTY _____
2.9	SN-2.9	QTY _____
3.0	SN-3.0	QTY _____
3.4	SN-3.4	QTY _____
3.6	SN-3.6	QTY _____
3.7	SN-3.7	QTY _____

## Whole Numbers

### 6"x 6" Stencils

0	SN-W-0	QTY _____
1	SN-W-1	QTY _____
2	SN-W-2	QTY _____
3	SN-W-3	QTY _____
4	SN-W-4	QTY _____
5	SN-W-5	QTY _____
6	SN-W-6	QTY _____
7	SN-W-7	QTY _____
8	SN-W-8	QTY _____
9	SN-W-9	QTY _____
10	SN-W-10	QTY _____
11	SN-W-11	QTY _____
12	SN-W-12	QTY _____
14	SN-W-14	QTY _____
16	SN-W-16	QTY _____
17	SN-W-17	QTY _____
18	SN-W-18	QTY _____
20	SN-W-20	QTY _____
22	SN-W-22	QTY _____
24	SN-W-24	QTY _____

# Express Order Form



Company \_\_\_\_\_ Ordered By \_\_\_\_\_ Req. Ship Date \_\_\_\_\_  
Ship to Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_  
Phone \_\_\_\_\_ PO# \_\_\_\_\_ Order Date \_\_\_\_\_  
Ship Via: ☐ Ground ☐ Expedited Shipping (USA ONLY): ☐ Overnight ☐ 2 Day ☐ 3 Day Select Delivery: ☐ AM or ☐ PM  
EU orders: eu-po@ecopoolfinish.com United States and all other orders: po@ecopoolfinish.com OR By Fax To: 1-877-448-2521

## TRADITIONAL COATINGS

SKU#	COLOR	Choose Quantity for 5 LB boxes	Choose Quantity for 10 LB boxes	Choose Quantity for 40 LB boxes
ED3-010	White	_____	_____	_____
ED3-011	Black	_____	_____	_____
ED3-012	Light Blue	_____	_____	_____
ED3-013	Dark Blue	_____	_____	_____
ED3-014	Light Grey	_____	_____	_____
ED3-015	Ivory	_____	_____	_____
ED3-021	Dark Grey	_____	_____	_____
ED3-024	Yellow	_____	_____	_____
ED3-025	Aussie Blue	_____	_____	_____
ED3-031	Green	_____	_____	_____
ED3-032	Blue Nile	_____	_____	_____
ED3-034	Brown	_____	_____	_____
ED3-035	Royal Blue	_____	_____	_____
ED3-036	California Blue	_____	_____	_____
ED3-037	Bright Yellow	_____	_____	_____
ED3-038	Bright Orange	_____	_____	_____
ED3-043	Pink	_____	_____	_____

## NON-SKID COATINGS

SKU#	COLOR	Choose Quantity for 5 LB boxes	Choose Quantity for 10 LB boxes	Choose Quantity for 40 LB boxes
ED3-010-NS	NS White	_____	_____	_____
ED3-011-NS	NS Black	_____	_____	_____
ED3-012-NS	NS Light Blue	_____	_____	_____
ED3-013-NS	NS Dark Blue	_____	_____	_____
ED3-014-NS	NS Light Grey	_____	_____	_____
ED3-015-NS	NS Ivory	_____	_____	_____
ED3-021-NS	NS Dark Grey	_____	_____	_____
ED3-024-NS	NS Yellow	_____	_____	_____
ED3-025-NS	NS Aussie Blue	_____	_____	_____
ED3-031-NS	NS Green	_____	_____	_____
ED3-032-NS	NS Blue Nile	_____	_____	_____
ED3-034-NS	NS Brown	_____	_____	_____
ED3-035-NS	NS Royal Blue	_____	_____	_____
ED3-036-NS	NS California Blue	_____	_____	_____
ED3-037-NS	NS Bright Yellow	_____	_____	_____
ED3-038-NS	NS Bright Orange	_____	_____	_____
ED3-043-NS	NS Pink	_____	_____	_____

# Express Order Form



Company \_\_\_\_\_ Ordered By \_\_\_\_\_ Req. Ship Date \_\_\_\_\_  
Ship to Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_  
Phone \_\_\_\_\_ PO# \_\_\_\_\_ Order Date \_\_\_\_\_

Ship Via: ☐ Ground ☐ Expedited Shipping (USA ONLY): ☐ Overnight ☐ 2 Day ☐ 3 Day Select Delivery: ☐ AM or ☐ PM

EU orders: eu-po@ecopoolfinish.com United States and all other orders: po@ecopoolfinish.com OR By Fax To: 1-877-448-2521

## ecoDUSTRIAL™ with BioCote® Antimicrobial

SKU#	COLOR	Choose Quantity for 5 LB boxes	Choose Quantity for 10 LB boxes	Choose Quantity for 40 LB boxes
ED3 with BioCote	Bio White	_____	_____	_____
ED3 with BioCote	Bio Grey	_____	_____	_____
ED3 with BioCote	Blend 1	_____	_____	_____

## Rapid Set Epoxy Primer

Rapid Set Epoxy X40C-Mini-3Pack QTY \_\_\_\_\_ Kit

## 5 Gallon Polypro Epoxy Mixer

Squirrel Mixer ESM 5gal QTY \_\_\_\_\_

## Red Pigment for X40/X40C Epoxy Primer

Pigment X40/X40C X40-PP-BULK QTY \_\_\_\_\_ 1 LB. Jar

## Spiked Shoes

Spiked Shoes Medium SPK-MD QTY \_\_\_\_\_  
*Sizes 9 and under*

Spiked Shoes Large SPK-LG QTY \_\_\_\_\_  
*Sizes 9 - 11*

Spiked Shoes X-Large SPK-XL QTY \_\_\_\_\_  
*Sizes 11+*

## Silicone Tapes

1" by 36 Yards Glass Coated Silicone Tape

1" Heat Tape HT-1x36 QTY \_\_\_\_\_ Sleeve (1 Roll)

1" Heat Tape HT-1x36-5 QTY \_\_\_\_\_ Sleeve (5 Rolls)

2" by 36 Yards Glass Coated Silicone Tape

2" Heat Tape HT-2x36 QTY \_\_\_\_\_ Sleeve (1 Roll)

2" Heat Tape HT-2x36-5 QTY \_\_\_\_\_ Sleeve (5 Rolls)

4" by 36 Yards Glass Coated Silicone Tape

4" Heat Tape HT-4x36 QTY \_\_\_\_\_ (1 Roll)

## Silicone Fabric

Fluorofab Silicone Fabric 9x20 Yards

Silicone Fabric FAB-9x20 QTY \_\_\_\_\_ Roll (1 Roll)

Silicone Fabric FAB-9x20-CA QTY \_\_\_\_\_ Case (4 Rolls)

## Semi-Flex Concrete Sanding Discs

16 Grit Discs SD-4.5-16-5 QTY \_\_\_\_\_ Sleeve (5)

16 Grit Discs SD-4.5-16-CA QTY \_\_\_\_\_ Case (25)

36 Grit Discs SD-4.5-36-5 QTY \_\_\_\_\_ Sleeve (5)

36 Grit Discs SD-4.5-36-CA QTY \_\_\_\_\_ Case (25)

60 Grit Discs SD-4.5-60-5 QTY \_\_\_\_\_ Sleeve (5)

60 Grit Discs SD-4.5-60-CA QTY \_\_\_\_\_ Case (25)

16 Grit Discs SD-7-16-5 QTY \_\_\_\_\_ Sleeve (5)

16 Grit Discs SD-7-16-CA QTY \_\_\_\_\_ Case (25)

36 Grit Discs SD-7-36-5 QTY \_\_\_\_\_ Sleeve (5)

36 Grit Discs SD-7-36-CA QTY \_\_\_\_\_ Case (25)

60 Grit Discs SD-7-60-5 QTY \_\_\_\_\_ Sleeve (5)

60 Grit Discs SD-7-60-CA QTY \_\_\_\_\_ Case (25)

## Diamabrush Removal Disks

4.5" Diamabrush Removal Tool DB-4.5-RT QTY \_\_\_\_\_ 1 Disk

4.5" Replacement Blades Set DB-4.5-RB QTY \_\_\_\_\_ 1 Set

4.5" Tool Dust Shroud DB-4.5-DS QTY \_\_\_\_\_ 1 Shroud

7" Diamabrush Removal Tool DB-7-RT QTY \_\_\_\_\_ 1 Disk

7" Replacement Blades Set DB-7-RB QTY \_\_\_\_\_ 1 Set

7" Tool Dust Shroud DB-7-DS QTY \_\_\_\_\_ 1 Shroud

## Backing Pads

4.5" Backing Pad BP-4.5-1 QTY \_\_\_\_\_ 1 Pad

7" Backing Pad BP-7-1 QTY \_\_\_\_\_ 1 Pad

## Literature

50 Pack ecoDUSTRIAL Brochure ED3-BROCH-50 QTY \_\_\_\_\_

ecoDUSTRIAL Traditional Cut Sheet ED3-CS QTY \_\_\_\_\_

ecoDUSTRIAL Non-Skid Cut Sheet ED3-NS-CS QTY \_\_\_\_\_



# Express Order Form



Company \_\_\_\_\_ Ordered By \_\_\_\_\_ Req. Ship Date \_\_\_\_\_  
 Ship to Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_  
 Phone \_\_\_\_\_ PO# \_\_\_\_\_ Order Date \_\_\_\_\_

Ship Via: ☐ Ground ☐ Expedited Shipping (USA ONLY): ☐ Overnight ☐ 2 Day ☐ 3 Day Select Delivery: ☐ AM or ☐ PM

EU orders: eu-po@ecopoolfinish.com United States and all other orders: po@ecopoolfinish.com OR By Fax To: 1-877-448-2521

## Stencil Capital Letters

A	SN-C-A	QTY _____
B	SN-C-B	QTY _____
C	SN-C-C	QTY _____
D	SN-C-D	QTY _____
E	SN-C-E	QTY _____
F	SN-C-F	QTY _____
G	SN-C-G	QTY _____
H	SN-C-H	QTY _____
I	SN-C-I	QTY _____
J	SN-C-J	QTY _____
K	SN-C-K	QTY _____
L	SN-C-L	QTY _____
M	SN-C-M	QTY _____
N	SN-C-N	QTY _____
O	SN-C-O	QTY _____
P	SN-C-P	QTY _____
Q	SN-C-Q	QTY _____
R	SN-C-R	QTY _____
S	SN-C-S	QTY _____
T	SN-C-T	QTY _____
U	SN-C-U	QTY _____
V	SN-C-V	QTY _____
W	SN-C-W	QTY _____
X	SN-C-X	QTY _____
Y	SN-C-Y	QTY _____
Z	SN-C-Z	QTY _____

## Stencil Lowercase Letters

a	SN-L-a	QTY _____
b	SN-L-b	QTY _____
c	SN-L-c	QTY _____
d	SN-L-d	QTY _____
e	SN-L-e	QTY _____
f	SN-L-f	QTY _____
g	SN-L-g	QTY _____
h	SN-L-h	QTY _____
i	SN-L-i	QTY _____
j	SN-L-j	QTY _____
k	SN-L-k	QTY _____
l	SN-L-l	QTY _____
m	SN-L-m	QTY _____
n	SN-L-n	QTY _____
o	SN-L-o	QTY _____
p	SN-L-p	QTY _____
q	SN-L-q	QTY _____
r	SN-L-r	QTY _____
s	SN-L-s	QTY _____
t	SN-L-t	QTY _____
u	SN-L-u	QTY _____
v	SN-L-v	QTY _____
w	SN-L-w	QTY _____
x	SN-L-x	QTY _____
y	SN-L-y	QTY _____
z	SN-L-z	QTY _____

## Stencil Whole Numbers

0	SN-W-0	QTY _____
1	SN-W-1	QTY _____
2	SN-W-2	QTY _____
3	SN-W-3	QTY _____
4	SN-W-4	QTY _____
5	SN-W-5	QTY _____
6	SN-W-6	QTY _____
7	SN-W-7	QTY _____
8	SN-W-8	QTY _____
9	SN-W-9	QTY _____

# SHIPPING INDEX

<u>Product</u>	<u>Description</u>	<u>Dimensions</u>	<u>Weight</u>
<b>Powders</b>	AB3, PF3, CM3 - 40 lb Powder Box	18" x 12" x 10"	43 lbs (19.50 kg)
	ecoDUSTRIAL - 5 lb Powder Box	12" x 9" x 5"	6 lbs (2.72 kg)
	ecoDUSTRIAL - 10 lb Powder Box	12" x 9" x 10"	11 lbs (4.99 kg)
	ecoDUSTRIAL - 40 lb Powder Box	18" x 12" x 10"	43 lbs (19.50 kg)
<b>Epoxy Primer</b>	X-40 / X40C Epoxy Primer - 1 Kit	13" x 9" x 9"	11 lbs (4.99 kg)
	X-40 / X40C Epoxy Primer - 3 Kits	13" x 9" x 9"	31 lbs (14.06 kg)
	X-40 / X40C Epoxy Primer - 5 Kits	21" x 13" x 9"	51 lbs (23.13 kg)
	X-40 / X40C Epoxy Primer - 100 Kits (pallet)	48" x 40" x 48"	1140 lbs (517.06 kg)
	Rapid Set Epoxy Primer X40C-Mini-3Pack (0.75kg ea.)	11" x 7" x 7"	7 lbs (3.18 kg)
	X40-200 Trowel Grade - 1 Kit	16" x 8" x 7"	16 lbs (7.26 kg)
	X40-200 Trowel Grade - 2 Kit	16" x 16" x 7"	31 lbs (14.06 kg)
	X40-200 Trowel Grade - 4 Kit	16" x 16" x 15"	62 lbs (26.12 kg)
	Fiberglass Mesh 12.5" x 150 ft. roll	18" x 9" x 9"	31 lbs (14.06 kg)
	Fiberglass Mesh 48" x 150 ft. roll	48" x 24" x 24"	28 lbs (12.70 kg)
	Red Pigment Pack for X40 Epoxy Primer- 1 lb tub with scoop	5" x 5" x 5"	1 lbs (.45 kg)
	Red Pigment tub for X40 Epoxy Primer- Eight 1 lb tubs	10" x 10" x 10"	11 lbs (4.99 kg)
	5 Gallon Polypro Epoxy Squirrel Mixer	20" x 4" x 4"	1 lb (.45 kg)
	Spiked Shoes	14" x 9" x 7"	4 lbs (1.81 kg)
<b>Silicone Tape / Fabric</b>	Silicone Tape 1" x 36yds - 5 Rolls	5" x 5" x 5"	4 lbs (1.81 kg)
	Silicone Tape 1" x 36yds - 40 Rolls	10" x 10" x 10"	17 lbs (7.71 kg)
	Silicone Tape 2" x 36yds - 5 Rolls	12" x 9" x 9"	7 lbs (3.18 kg)
	Silicone Tape 2" x 36yds - 20 Rolls	10" x 10" x 10"	25 lbs (11.34 kg)
	Silicone Tape 4" x 36yds - 1 Roll	5" x 5" x 5"	4 lbs (1.81 kg)
	Silicone Tape 4" x 36yds - 8 Rolls	10" x 10" x 10"	17 lbs (7.71 kg)
	Silicone Fabric 9" x 20yds - 1 Roll	9" x 9" x 6"	5 lbs (2.27 kg)
	Silicone Fabric 9" x 20yds - 4 Rolls	10" x 10" x 10"	17lbs (7.71 kg)
	Silicone Spray Aerosol	9" x 6" x 9"	2 lbs (.91 kg)
	Biodex White 'n Brite Case of 12 - one quart Plaster	14" x 11" x 11"	30 lbs (13.61 kg)
	Biodex White 'n Brite Case of 12 - one quart Plaster	7" x 7" x 7"	3 lbs (1.36 kg)
	Sequestering Agents - Beautech, Startup-tec, Scaletec	20" x 10" x 10"	39 lbs (17.69 kg)

## SHIPPING INDEX continued

<u>Product</u>	<u>Description</u>	<u>Dimensions</u>	<u>Weight</u>
<b>Installation Equipment</b>	IBIX: Pro Vortex Gun (Black)		200 lbs (90.72 kg)
	IBIX Standard Gun for Pro Unit (Down-Grade Kit)	24" x 12" x 12"	25 lbs (11.34 kg)
	IBIX Detail Gun for Pro/Standard Unit.	24" x 12" x 12"	25 lbs (11.34 kg)
	Hobby Gun for use with the Gladiator Pool Coating Systems	11" x 12" x 12"	25 lbs (11.34 kg)
	Powder On/Off Switch	5" x 5" x 5"	1 lb (.45 kg)
<b>PolyTECT</b>	PolyTECT - 5 Gallon	12" x 11" x 16X	46 lbs (20.86 kg)
<b>Tent</b>	Dome Tent -Small 25' X 10' X 6'	24" x 24" x 48"	80 lbs (36.29 kg)
	Dome Tent- Large 25' X 20' X 6'	24" x 24" x 48"	130 lbs (58.97 kg)

### Common Schedule B Tarriff Codes for US Dealers shipping outside of the United States

A Schedule B number is a 10-digit code used in the U.S. to classify physical goods for export to another country.

<u>Item</u>	<u>Schedule B Tarriff Codes</u>	<u>Unit of measurement</u>
Air/Powder Valves (Pneumax)	8481.20.0050	No.
Aluminum Muffler (Pneumax)	8708.92.5000	(x)
Diamabrush + Blades	8466.92.0080	(x)
Epoxy Primer	3210.00.0000	L / kg
Applicator Gun	8424.89.0000	No.
Marketing Materials	4911.10.0090	kg
Pigment Powder	3206.49.6090	kg
Plastic Flange Separator (Pneumax)	8481.80.5090	No. / kg
AB3 / PF3 / CM3 / ED3 Powders	3901.10.0010	kg
Silicone Plug	3917.40.0000	kg
Spark Ignitor	3603.00.9020	No.
Spiked Shoes	6401.99.9500	pairs
Squirrel Mixer	8465.99.0250	No.
Glass Coated Silicone Tape / Silicone Fabric	5903.10.1600	m2 / kg
Gas Valve	8481.80.5090	No. / kg
5/32 Bulkhead Fittings	8477.90.0095	No.
Heat exchanger	8487.90.0080	No.

**ecoFINISH®**  
**415 Constance Drive**  
**Warminster, PA 18974**

United States – Angola – Aruba – Australia – Austria – Belgium – Bonaire – Bosnia – Bulgaria – Canada – Caribbean – Congo - Curacao – Croatia – Cyprus  
Dominican Republic - Estonia – France – Fr. Polynesia – Fr. West Indies – Germany – Gibraltar – Greece – Guadeloupe – Hungary- Ibiza – Iceland –Ireland – Italy  
Kosovo – Latvia – Lithuania – Luxembourg – Macedonia – Malta – Martinique – Mauritius – Morocco - Netherlands – New Caledonia – New Zealand – Norway  
Panama – Poland – Portugal – Puerto Rico – Reunion Island – Russia – Serbia – Spain –Suriname – Sweden – Switzerland – Thailand – Turks and Caicos – Ukraine  
The United Kingdom – US Virgin Islands – Wallis and Futuna

**Copyright © 2021 ecoFINISH®**

This installation manual is copyrighted, all rights are reserved. Printed in the United States of America. This publication is protected by Copyright and permission should be obtained from the publisher prior to any prohibited reproduction, storage in a retrieval system, or transmission in any form or by any means, electronic, mechanical, photocopying, recording, or likewise. To obtain permission to use material from this work, please submit a written request at [ecofinishcoatings.com](http://ecofinishcoatings.com).

**Trademark Notice**

ecoFINISH®, aquaBRIGHT™, polyFIBRO®, aquaticLIFE™, ecoCULTURE™, OPTUS®, ecoFX™, ecoDUSTRIAL™, and PolyTECT™ are registered trademarks of ecoFINISH®. All rights are reserved.